

CITY OF DURHAM, NORTH CAROLINA

PROJECT MANUAL

INCLUDING

**BIDDING DOCUMENTS, CONTRACT DOCUMENTS, AND
TECHNICAL SPECIFICATIONS**

FOR



**CITY OF
DURHAM**

CONTRACT: ST-271


2018 PETITION STREETS

**Engineering Services Division
Department of Public Works
101 City Hall Plaza
Durham, North Carolina 27701**

This page intentionally left blank

CONTRACT: ST-271

2018 PETITION STREETS



Edward R. Venable
10-2-2018

**ENGINEERING SERVICES DIVISION
DEPARTMENT OF PUBLIC WORKS
CITY OF DURHAM, NORTH CAROLINA**

THIS PAGE INTENTIONALLY LEFT BLANK

**CITY OF DURHAM
MAYOR AND CITY COUNCIL**

Steve Schewel, Mayor

Vernetta Alston
Jillian Johnson
Charlie Reece

Javiera Caballero
DeDreana Freeman
Mark-Anthony Middleton

**CITY OF DURHAM
STAFF**

Thomas J. Bonfield, City Manager

Patrick W. Baker, City Attorney

~~D. Ann Gray~~ Diana Schreiber, City Clerk

Marvin G. Williams, Director of Public Works

Edward R. Venable, Contract Management Supervisor

THIS PAGE INTENTIONALLY LEFT BLANK

CITY OF DURHAM
PUBLIC WORKS
CONTRACT PROPOSAL

CONTRACT NUMBER: ST-271

COUNTY: DURHAM

DESCRIPTION: 2018 PETITION STREETS

DATE OF ADVERTISEMENT: 10/02/2018

PRE-BID MEETING: 10/16/2018 2:30 PM, Durham City Hall Conference Room 3A (3rd Floor)

BID OPENING: 10/30/2018 3:00 PM Durham City Hall Conference Room 3A (3rd Floor)

***** NOTICE *****

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. FOR CONTRACTS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD, BIDDERS ARE REQUIRED TO BECOME LICENSED BY THE NC LICENSING BOARD. NON-LICENSED BIDDERS ARE PERMITTED 60 DAYS AFTER BID OPENING TO OBTAIN PROPER LICENSING FOR THE TYPE OF PROJECT BEING LET. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA.

NAME OF BIDDER

ADDRESS OF BIDDER

RETURN BIDS TO: City of Durham Public Works Department

Attention: Clint Blackburn

Person's Title: Project Manager

Physical Address: 101 City Hall Plaza

Suite 3100

Durham, NC 27701

ALL BIDS MUST BE RECEIVED PRIOR TO THE DATE AND TIME LISTED ABOVE.

INVITATION TO BID

Contract: ST-271

Project: 2018 PETITION STREETS

Owner: City of Durham
101 City Hall Plaza
Suite 3100
Durham, North Carolina 27701

Issuing Office: Public Works Department

Attention: Clint Blackburn, EI
City of Durham
Public Works Department
Engineering Division
101 City Hall Plaza
Durham, North Carolina 27701
(919) 560-4326 ext. 30245

Date: 7/23/2018

The City of Durham will open sealed formal Bids submitted by Bidders at **3:00 P.M.** on **Tuesday October 30, 2018** for Contract ST-271, '2018 Petition Streets', in **Conference Room 3A (Third Floor Public Works)**, 101 City Hall Plaza, Durham, North Carolina. The Project involves the furnishing of all materials, labor, equipment, tools, et cetera, unless otherwise specified, for the roadway widening project.

The Project Manual and Plans may be viewed and downloaded, free of charge, from the City of Durham, Public Works Division web site:

<https://durhamnc.gov/3709/2018-Petition-Streets-ST-271>

Bidders are encouraged to forward any questions to the Project Manager.

The City Council of the City of Durham reserves the right to reject any or all of the Bids. All Bids must include a non-collusion affidavit.

To ensure that all Bidders using the Purchasing Division's web site are kept up to date on any Addenda, changes, or information notices, please send an e-mail to clint.blackburn@durhamnc.gov indicating your intention to prepare a Bid for the Project. Failure to complete this step may render your Bid as non-responsive.

Each Bidder is advised that the work may be inspected and supervised by an Engineer or firm under the direction of the City of Durham. The Engineer or firm may also be involved in the identification of specific repair areas and the proposed method of repairs for the Site Work.

The City of Durham requires the Project to be completed in 270 calendar days from date of Notice to Proceed for Construction.

No Bid shall be considered or accepted unless at the time of its filing the same shall be accompanied by a deposit of cash or a certified or cashier's check drawn on a bank or trust company insured by the Federal Deposit Insurance Corporation (FDIC), in an amount equal to five percent (5%) of the amount of the Bid. The check shall be made payable to the City of Durham. Said deposit shall guarantee that the Contract will be entered into by the successful Bidder if the award is made. Such deposit of cash or certified or cashier's check may be held by the City until the successful Bidder has executed and delivered the Contract Documents, including performance and payment bond.

In lieu of the cash deposit or certified or cashier's check mentioned above, the Bidder may file a Bid bond in the same amount executed by a corporate surety authorized to execute such bonds in North Carolina and in the form attached to the Bidding Documents or on file with the Engineer. Bid bond forms enclosed as part of the Bidding.

Documents must be properly executed at the time Bids are submitted before Bid will be considered. Properly executed Power of Attorney of the corporate surety's agent shall accompany such bond and be attached to the page provided therefore in the Bidding Documents.

Bids shall be submitted under a condition of irrevocability, except as required by law, for a period of ninety (90) days after Bid opening.

The City of Durham reserves the right to accept or reject any or all Bids.

INSTRUCTIONS TO BIDDERS

PLEASE READ ALL INSTRUCTIONS CAREFULLY BEFORE PREPARING AND SUBMITTING YOUR BID.

All bids shall be prepared and submitted in accordance with the following requirements. Failure to comply with any requirement shall cause the bid to be considered irregular and shall be grounds for rejection of the bid.

- 1.** The bid form furnished by CITY OF DURHAM with the proposal shall be used and shall not be altered in any manner. **DO NOT SEPARATE THE BID FORM FROM THE PROPOSAL!**
- 2.** All entries on the bid form, including signatures, shall be written in ink.
- 3.** The Bidder shall submit a unit price for every item on the bid form. The unit prices for the various contract items shall be written in figures. *****Unit prices must be limited to TWO decimal places.*****
- 4.** An amount bid shall be entered on the bid form for every item. The amount bid for each item shall be determined by multiplying each unit bid by the quantity for that item, and shall be written in figures in the "Amount Bid" column of the form.
- 5.** The total amount bid shall be written in figures in the proper place on the bid form. The total amount shall be determined by adding the amounts bid for each item.
- 6.** Changes in any entry shall be made by marking through the entry in ink and making the correct entry adjacent thereto in ink. A representative of the Bidder shall initial the change in ink. Do not use "White Out" or similar product to make corrections.
- 7.** The bid shall be properly executed. All bids shall show the following information:
 - a. Name of individual, firm, corporation, partnership, or joint venture submitting bid.
 - b. Name of individual or representative submitting bid and position or title.
 - c. Name, signature, and position or title of witness.
 - d. Federal Identification Number
 - e. Contractor's License Number (If available)
- 8.** Bids submitted by corporations shall bear the seal of the corporation.
- 9.** The bid shall not contain any unauthorized additions, deletions, or conditional bids.
- 10.** The bidder shall not add any provision reserving the right to accept or reject an award, or to enter into a contract pursuant to an award.
- 11. THE PROPOSAL WITH THE BID FORM STILL ATTACHED SHALL BE PLACED IN A SEALED ENVELOPE AND SHALL HAVE BEEN DELIVERED TO AND**

RECEIVED IN THE (CITY OF DURHAM PUBLIC WORKS DEPARTMENT, 101 CITY HALL PLAZA, SUITE 3100, DURHAM NC 27701), BY (3:00 PM) ON, TUESDAY, OCTOBER 30, 2018.

12. The sealed bid must display the following statement on the front of the sealed envelope:

“QUOTATION FOR ST-271,’ 2018 PETITION STREETS’. TO BE OPENED AT (3:00 PM) ON, TUESDAY, OCTOBER 30, 2018.

13. If delivered by mail, the sealed envelope shall be placed in another sealed envelope and the outer envelope shall be addressed as follows:

CITY OF DURHAM PUBLIC WORKS DEPARTMENT

Attn: CLINT BLACKBURN

101 CITY HALL PLAZA

SUITE 3100

DURHAM, NC 27701

14. State Treasurer’s lists regarding Iran and Boycott of Israel. If the candidate or the City signs the contract on October 1, 2017 or afterwards, and the value of the contract is \$1,000 or more, the following applies unless the candidate otherwise states in its proposal: the candidate affirms (by submitting a proposal) that (1) its name does not appear on the list of companies that are engaged in a boycott of Israel developed by the N. C. State Treasurer under N.C.G.S. 147-86.81(a)(1) or on a list created by the Treasurer pursuant to N.C.G.S. 147-86.58 as a company engaging in investment activities in Iran, and (2) it has no reason to expect that its name will appear on either of those lists. Take notice that a contract between a company named on either list and the City may be void.

TABLE OF CONTENTS

CONTRACT PROPOSAL	3
INVITATION TO BID	4
INSTRUCTIONS TO BIDDERS	6
TABLE OF CONTENTS.....	8
NCDOT STANDARD NOTES	10
CITY OF DURHAM CONTRACT FORMS	11
GENERAL PROVISIONS	20
CONTRACT TIME AND LIQUIDATED DAMAGES	21
NO MAJOR CONTRACT ITEMS:.....	21
NO SPECIALTY ITEMS:.....	21
FUEL PRICE ADJUSTMENTS:.....	21
INTERMEDIATE CONTRACT TIME NUMBER 1 AND LIQUIDATED DAMAGES:.....	22
INTERMEDIATE CONTRACT TIME NUMBER 2 AND LIQUIDATED DAMAGES:.....	23
PERMANENT VEGETATION ESTABLISHMENT:.....	23
EROSION AND SEDIMENT CONTROL/STORMWATER CERTIFICATION:	23
DISADVANTAGED/UNDERUTILIZED BUSINESS ENTERPRISE (LOCAL GOVERNMENT AGENCIES)	28
U.S. DEPARTMENT OF TRANSPORTATION HOTLINE <u>One Call</u> :	29
ASPHALT BINDER CONTENT OF ASPHALT PLANT MIXES:.....	29
CONSTRUCTION SEQUENCE:.....	30
CLEARING AND GRUBBING - METHOD II:.....	30
BURNING RESTRICTIONS:	30
BORROW EXCAVATION (In Place or Truck Measurement):	30
FINE GRADING:	30
SAW CUTTING:.....	30
INCIDENTAL STONE BASE:	31
ASPHALT CONCRETE PLANT MIX PAVEMENTS:.....	31
PRICE ADJUSTMENT - ASPHALT BINDER FOR PLANT MIX:	31
PATCHING EXISTING PAVEMENT:	31
HIGH STRENGTH CONCRETE FOR DRIVEWAYS:.....	32
TEMPORARY TRAFFIC CONTROL DEVICES:.....	33
PERMANENT SEEDING AND MULCHING:.....	33
Stabilization Requirements:	33
SEEDING AND MULCHING:	34
WATTLE:.....	36
WATTLES with Polyacrylamide (PAM):	37
REMOVAL AND REPLACEMENT OF STREET SIGNS AND MAILBOXES:.....	39
PERMITS	40

STANDARD SPECIAL PROVISIONS 44

TEMPORARY CONSTRUCTION ENTRANCE..... 44

FENCE RESET: 44

NCDOT GENERAL SEED SPECIFICATION FOR SEED QUALITY 44

ADJUSTMENT OF MANHOLES:..... 47

ERRATA 47

PLANT AND PEST QUARANTINES 48

Traffic Signals:.....TS-1 THROUGH TS-83 48

E-VERIFY AFFIDAVIT: 49

IRAN DIVESTMENT ACT: 50

TWELVE MONTH GUARANTEE 50

EXECUTION OF BID..... 51

NCDOT STANDARD NOTES

- A. NCDOT Standard Specifications – The 2018 North Carolina Department of Transportation Standard Specifications for Roads and Structures, herein referred to as the ‘Standard Specifications’, and the 2018 Roadway Standard Drawings, shall apply to all portions of this project except as may be modified by this document.
- B. Small Disadvantaged Business Enterprise References - Since this is a City of Durham project with SDBE participation, only those requirements and goals set forth by the City are applicable.
- C. Award of Contract - The contract will be awarded to the lowest responsible, responsive bidder. Alternate items will not be considered in determining the low bidder and will only be evaluated after the award of the contract is made.
- D. Contractor Licensing – Bidders are permitted 60 days, after bid opening, to become licensed by the North Carolina Licensing Board. If they fail to do so within 60 days, their bid will be considered non-responsive and will be rejected. If the successful bidder does not hold the proper license to perform any plumbing, heating, air conditioning, or electrical work in this contract, he will be required to sublet such work to a contractor properly licensed in accordance with Article 2 of Chapter 87 of the General Statutes (licensing of heating, plumbing, and air conditioning contractors) and Article 4 of Chapter 87 of the General Statutes (licensing of electrical contractors).
- E. Bonds - Please note that all Bid Bonds, Payment Bonds, and Performance Bonds required for this project, shall be City of Durham bonds:
Bid Bonds see Appendix E

Payment Bonds see Appendix G

Performance Bonds see Appendix G
- F. Liability Insurance – In addition to any insurance requirements as may be required by the City, the Contractor is obligated to comply with Article 107-15 of the *Standard Specifications* including the dollar limits set forth.
- G. Not Used
- H. Proprietary Items - When a proprietary (brand name) product, whether material, equipment or procedure, are specified in the plans or specifications, they are used only to denote the style, type, character, and quality desired of the product. They do not restrict the bidder from proposing other brands, makes, or manufacturers, which are determined to be of equal quality. The approval, or disapproval of those products, will be made by the Engineer prior to allowing those product(s) or material(s) to be incorporated into the work.
- ~~I. Retainage by LGAs – The City will not retain any amount or percentage from progress payments or final estimates due the contractor.~~
- ~~Retainage by Contractors – Contractors are NOT permitted to retain any amount or percentage from monies due their subcontractors or material suppliers on federally funded projects except as permitted by Subarticle 109-4(B) of the *Standard Specifications*.~~
- ~~K.I. Traffic Control – The requirements of the *Manual on Uniform Traffic Control Devices (MUTCD)* – FHWA, as amended by the *NCDOT Supplement to MUTCD*, shall~~

apply. Traffic Control, both vehicular and pedestrian, shall be maintained throughout the project as required by these specifications as modified by the project plans or special provisions.

CITY OF DURHAM CONTRACT FORMS

The successful bidder to whom the contract is awarded (i.e., “Contractor”) shall execute the following Standard City of Durham Contract Form evidencing its agreement to the terms and conditions of this Contract Proposal.

STANDARD CITY OF DURHAM CONTRACT FORM

THIS CONTRACT is dated, made and entered into as of the _____ day of _____, 20_____, by and between the City of Durham (“City”), a N. C. municipal corporation, and [name of firm] (“Contractor”), [indicate type of legal entity, for instance: a corporation organized and existing under the laws of [name of State]; a limited liability company organized and existing under the laws of [name of State]; a professional corporation organized and existing under the laws of [name of State]; a professional association organized and existing under the laws of [name of State]; a limited partnership organized and existing under the laws of [name of State]; a sole proprietorship; or a general partnership
If it’s a corporation, LLC, or limited partnership, use the above “organized and existing” language, and do not substitute news about the contractor’s principal office or place of business.]

The City of Durham and Contractor, in consideration of the mutual covenants set forth herein, agree as follows:

1. Background and Incorporation of Contract Proposal. The City has accepted the proposal of the Contractor for construction of the project advertised by the City on the _____ day of _____, 20_____ in the Contract Proposal titled “2018 PETITION STREETS”, Project No. ST-271 (hereinafter, “Contract Proposal” including Addenda). The terms and conditions of the Contract Proposal are incorporated herein by reference and made a part of this Contract.

2. Description of Work. Obligations of Contractor. (a) The Contractor, at his (its) own proper cost and expense and with skill and diligence, shall complete all Work, including furnishing all labor, tools, materials, and equipment, and do all things necessary for the proper construction and completion of the Work pursuant to the terms, and consistent with the plans, specifications, drawings, schedules, and other documents contained or incorporated by reference, in the Contract Proposal.

(b) The Contractor shall further perform the Work in accordance with the directions (not inconsistent therewith) given from time to time by the City individual assigned to administer this Contract, referred to as the Project Manager or Engineer, or other person as the City Manager may designate. For purposes of this Contract, the term “Engineer” shall refer to the City Manager of the City of Durham or his or her designee acting directly or through a duly authorized representative, including the Project Manager or a designated engineering consultant, acting within the scope of particular assigned or contracted duties and authority.

(c) The Contractor agrees to receive the prices stated in Exhibit A, the “Itemized Proposal Form,” in full compensation for furnishing materials, and for labor in moving materials and executing all the Work contemplated and shall be responsible for all loss or damage arising out of the nature of the Work aforesaid or from any action of the elements or from any unforeseen obstruction or difficulties which may be encountered in the prosecution and delivery of the same, and for all risks of every nature and description connected with the Work and

furnishing the materials until their final completion and acceptance; also, for expense incurred by or in consequence of the suspense; also, for expense incurred by or in consequence of the suspense or of the discontinuance of said work and furnishing said materials according to the Contract Proposal and requirements of the Engineer under them.

3. Quality and Workmanship. All Work under this Contract shall be performed and completed to the satisfaction of the Project Manager and Engineer and the Project Manager and Engineer shall in all cases of dispute determine the quantity, quality, acceptability and fitness of the work and materials and of several portions thereof which are to be paid for under this Contract and shall decide and determine all questions which may arise as to the measurements, lines, levels and dimensions of the work and all questions respecting the true construction, interpretation, or meaning of the plans and specifications. In case of dispute between the Contractor and the Project Manager and Engineer, the decision and determination of the latter shall be taken and shall be final and conclusive.

4. Compensation. The total dollar amount to be paid under this Contract by the City to the Contractor shall not exceed \$_____, the Itemized Proposal From, as provided in Exhibit A. The City will make partial payments based on the progress of the work and payment requests submitted by the Contractor. Payment will be made within twenty-five (25) days after receipt of a correct payment request.

On the completion of the Work, the Contractor shall proceed with due diligence to measure up the work and material and present his final estimate to the City, whereupon the City shall pay within forty-five (45) days thereafter such amount, less payments previously made, and payments of such final amount shall release the City from claims for work done or materials furnished under this Contract.

The City will require release of all claims for materials or labor furnished for this work prior to the payment of the final estimate. The Contractor shall furnish the City with a written statement sworn before a Notary Public to the effect that all payments have been made for labor and materials used in this construction and that claims, suits, and proceedings of every name and description against the City, its officers and agents, have been settled.

It is further mutually agreed between the parties that no estimate or partial payment made under this Contract shall be conclusive evidence of the performance of this Contract, either wholly or in part, and that no such payment shall be construed to be an acceptance of defective work or improper materials.

5. Prompt Payment to Subcontractors. Pursuant to NC General Statute 143-134.1(b6), the prompt payment provisions of Section 109-4(B) of the 2018 *North Carolina Department of Transportation Standard Specifications for Roads and Structures* (hereinafter, "Standard Specifications") and other prompt payment provisions of this Contract shall preempt the provisions of NC General Statute 143-134.1 (b1), (b2), (b3) and (b4) to the extent of any conflict.

6. City Changes to NCDOT Standard Specifications. The Contract Proposal makes certain changes to the Standard Specifications. This Contract makes the following additional changes to the Standard Specifications:

- (a) *Section 101-3*:
- (i) Delete the definition of “Engineer” on page 1-5 and replace with the following definition: “The City Manager of the City of Durham or his or her designee acting directly or through a duly authorized representative, including the Project Manager or a designated engineering consultant, acting within the scope of particular assigned or contracted duties and authority.”
 - (ii) In the definition for “Final Estimate”, delete the last sentence referencing the verified claim procedure in lines 5 and 6 on page 1-6.
 - (iii) The definition of “Department” shall include the City of Durham in reference to the administration of this contract.
- (b) *Sections 102-2 and 102-15* – The term “Engineer” in these sections shall refer to the State Highway Administrator of the North Carolina Department of Transportation, acting directly or through a duly authorized representative, such representative acting within the scope of particular assigned duties or authority.
- (c) *Section 103-3 - Criteria for Withdrawal of Bid* – Delete subsections (A), (B), (C) and (D) in their entirety and replace with the following statement:

A bidder submitting a bid pursuant to NC General Statute 143-129 may withdraw its bid in accordance with the terms of NC General Statute 143-129.1.

- (d) *Section 107-24* – Delete this section in its entirety.

6. Indemnification. Notwithstanding any indemnification requirements contained in the Standard Specifications, the Contractor shall also agree to the following indemnification provision as applied to the City of Durham:

(a) To the maximum extent allowed by law, the Contractor shall defend, indemnify, and save harmless Indemnitees from and against all Charges that arise in any manner from, in connection with, or out of this contract as a result of acts or omissions of the Contractor or subcontractors or anyone directly or indirectly employed by any of them or anyone for whose acts any of them may be liable. In performing its duties under this subsection “a,” the Contractor shall at its sole expense defend Indemnitees with legal counsel reasonably acceptable to City.

(b) Definitions. As used in subsections “a” above and “c” below -- “Charges” means claims, judgments, costs, damages, losses, demands, liabilities, duties, obligations, fines, penalties, royalties, settlements, and expenses (included without limitation within “Charges” are (1) interest and reasonable attorneys' fees assessed as part of any such item, and (2) amounts for alleged violations of sedimentation pollution, erosion control, pollution, or other environmental laws, regulations, ordinances, rules, or orders -- including but not limited to any such alleged violation that arises out of the handling, transportation, deposit, or delivery of the items that are the subject of this contract). “Indemnitees” means City and its officers, officials, independent contractors, agents, and employees, excluding the Contractor.

(c) Other Provisions Separate. Nothing in this section shall affect any warranties in favor of the City that are otherwise provided in or arise out of this contract. This section is in addition to and shall be construed separately from any other indemnification provisions that may be in this contract.

(d) Survival. This section shall remain in force despite termination of this contract (whether by expiration of the term or otherwise) and termination of the services of the Contractor under this contract.

(e) Limitations of the Contractor's Obligation. If this section is in, or is in connection with, a contract relative to the design, planning, construction, alteration, repair or maintenance of a building, structure, highway, road, appurtenance or appliance, including moving, demolition and excavating connected therewith, then subsection "a" above shall not require the Contractor to indemnify or hold harmless Indemnitees against liability for damages arising out of bodily injury to persons or damage to property proximately caused by or resulting from the negligence, in whole or in part, of Indemnitees.

7. Liability Insurance. The Contractor shall maintain the more stringent minimum liability insurance coverage between that required by the NCDOT and the following City required minimum coverage to be accompanied by a certificate of liability insurance:

Commercial General Liability — Combined single limit of no less than \$1,000,000 each occurrence and \$2,000,000 aggregate. Coverage shall not contain any endorsement(s) excluding nor limiting Product/Completed Operations, Contractual Liability or Cross Liability.

Automobile Liability — Limits of no less than \$1,000,000 Combined Single Limit. Coverage shall include liability for Owned, Non-Owned and Hired automobiles. In the event Contractor does not own automobiles, Contractor agrees to maintain coverage for Hired and Non-Owned Auto Liability, which may be satisfied by way of endorsement to the Commercial General Liability policy or separate Auto Liability policy. Automobile coverage is only necessary if vehicles are used in the provision of services under this Contract and/or are brought on a City of Durham site.

Worker's Compensation & Employers Liability — Contractor agrees to maintain Worker's Compensation Insurance in accordance with North Carolina General Statute Chapter 97 and with Employer Liability limits of no less than \$1,000,000 each accident, each employee and policy limit. This policy must include a Waiver of Subrogation.

Additional Insured — Commercial General Liability. The Additional Insured shall read 'City of Durham and the State of North Carolina as its interest may appear'.

Certificate of Insurance — Contractor agrees to provide City of Durham a Certificate of Insurance evidencing that all coverage's, limits and endorsements required herein are maintained and in full force and effect, and Certificates of Insurance shall provide a minimum thirty (30) day endeavor to notify, when available, by Contractor's insurer. If Contractor receives a non-renewal or cancellation notice from an insurance carrier affording coverage required herein, or receives notice that coverage no longer complies with the insurance requirements herein, Contractor agrees to notify the City within five (5) business days with a copy of the non-renewal or cancellation notice, or written specifics as to which coverage is no longer in compliance. The Certificate Holder address should read:

City of Durham
 Department of Public Works
 ATTN: Clint Blackburn
 101 City Hall Plaza
 Durham, NC 27701

Umbrella or Excess Liability — Contractor may satisfy the minimum liability limits required above under an Umbrella or Excess Liability policy. There is no minimum Per Occurrence limit of liability under the Umbrella or Excess Liability, however, the Annual Aggregate limits shall not be less than the highest ‘Each Occurrence’ limit for required policies. Contractor agrees to endorse City of Durham as an ‘Additional Insured’ on the Umbrella or Excess Liability, unless the Certificate of Insurance states the Umbrella or Excess Liability provides coverage on a ‘Follow-Form’ basis.

All insurance companies must be authorized to do business in North Carolina and be acceptable to the City of Durham’s Risk Manager.

8. Notice. (a) This subsection (a) pertains to all notices related to or asserting default, breach of contract, claim for damages, suspension or termination of performance, suspension or termination of contract, and extension or renewal of the term. All such notices shall be given by personal delivery, fax, UPS, Federal Express, a designated delivery service authorized pursuant to 26 U.S.C. 7502(f)(2), or certified United States mail, return receipt requested, addressed as follows. The parties are requested to send a copy by email.

To the City:
 City of Durham
 Department of Public Works
 ATTN: Clint Blackburn
 101 City Hall Plaza
 Durham, NC 27701-3329
 Fax: (919)560-4316
 Email: Charles.Rice@durhamnc.gov

To the Contractor:
[Insert name and address]
 The fax number is _____.
 Email:

(b) Change of Address. Date Notice Deemed Given. A change of address, email address, fax number, or person to receive notices under subsection (a) shall be made by notice given pursuant to subsection (a). All notices and other communications related to or under this contract shall be deemed given and sent at the time of actual delivery, if personally delivered or sent by fax, personal delivery, UPS, Federal Express, or a designated delivery service. If the notice or other communication is sent by United States mail, it shall be deemed given upon the third calendar day following the day on which such notice or other communication is deposited with the United States Postal Service or upon actual delivery, whichever first occurs.

9. State Law Provisions. (a) E-Verify Requirements. (A) If this contract is awarded

pursuant to North Carolina General Statutes (NCGS) 143-129 – (i) the contractor represents and covenants that the contractor and its subcontractors comply with the requirements of Article 2 of Chapter 64 of the NCGS; (ii) the words "contractor," "contractor's subcontractors," and "comply" as used in this subsection (A) shall have the meanings intended by NCGS 143-129(j); and (iii) the City is relying on this subsection (A) in entering into this contract. (B) If this contract is subject to NCGS 143-133.3, the contractor and its subcontractors shall comply with the requirements of Article 2 of Chapter 64 of the NCGS.

(b) Iran Divestment Act Certification. The Contractor certifies that, if it submitted a successful bid for this contract, then as of the date it submitted the bid, the Contractor was not identified on the Iran List. If it did not submit a bid for this contract, the Contractor certifies that as of the date that this contract is entered into, the Contractor is not identified on the Iran List. It is a material breach of contract for the Contractor to be identified on the Iran List during the term of this contract or to utilize on this contract any subcontractor that is identified on the Iran List. In this Iran Divestment Act Certification section -- "Contractor" means the person entering into this contract with the City of Durham; and "Iran List" means the Final Divestment List – Iran, the Parent and Subsidiary Guidance– Iran list, and all other lists issued from time to time by the N.C. State Treasurer to comply with G. S. 147-86.58 of the N.C. Iran Divestment Act.

10. Exhibits. In addition to the contract documents contained and referenced in the Contract Proposal, the following additional exhibits attached to, are made a part of this Contract:

Appendix A: Underutilized Business Enterprise (UBE) Requirements and Construction Form

Appendix B: Certified Underutilized Business Enterprise (UBE) Listing

Appendix C: Certified Underutilized Business Enterprise (UBE) Reporting Forms

Appendix D: Non-Collusion Affidavit Forms for Bidder and Subcontractor

Appendix E: Bid Bond Forms

Appendix F: Not used.

Appendix G: Performance Bond and Payment Bond Forms

Appendix H: Reimbursable Sales and Use Tax Statement Forms

Appendix I: Submittal Transmittal Form and Submittal Register Form

Appendix J: PDRX

Appendix K: Construction Details and Specifications

Appendix L: City of Durham Finance Policy 603 Bidder Safety Record Review

Appendix M: Project Vicinity Map

In case of conflict between an exhibit and the text of this contract excluding the exhibit, the text of this contract shall control.

11. Choice of Law and Forum; Service of Process. (i) This contract shall be deemed made in Durham County, North Carolina. This contract shall be governed by and construed in accordance with the law of North Carolina. The exclusive forum and venue for all actions arising out of this contract shall be the North Carolina General Court of Justice, in Durham County. Such actions shall neither be commenced in nor removed to federal court. This subsection (a) shall not apply to subsequent actions to enforce a judgment entered in actions heard pursuant to this subsection. (ii) If the Contractor is not a natural person (for instance, the Contractor is a corporation or limited liability company), this subsection (ii) applies. "Agent for Service of Process" means every person now or hereafter appointed by the Contractor to be served or to accept service of process in any State of the United States. Without excluding any other method of service authorized by law, the Contractor agrees that every Agent for Service of Process is

designated as its non-exclusive agent for service of process, summons, and complaint. The Contractor will instruct each Agent for Service of Process that after such agent receives the process, summons, or complaint, such agent shall promptly send it to the Contractor. This subsection (ii) does not apply while the Contractor maintains a registered agent in North Carolina with the office of the N. C. Secretary of State and such registered agent can be found with due diligence at the registered office.

12. Waiver. No action or failure to act by the City shall constitute a waiver of any of its rights or remedies that arise out of this contract, nor shall such action or failure to act constitute approval of or acquiescence in a breach thereunder, except as may be specifically agreed in writing.

13. Performance of Government Functions. Nothing contained in this contract shall be deemed or construed so as to in any way estop, limit, or impair the City from exercising or performing any regulatory, policing, legislative, governmental, or other powers or functions.

14. Severability. If any provision of this contract shall be unenforceable, the remainder of this contract shall be enforceable to the extent permitted by law.

15. Compliance with Law. In performing all of the Work, the Contractor shall comply with all applicable law.

16. Notice of City Policy. THE CITY OPPOSES DISCRIMINATION ON THE BASIS OF RACE AND SEX AND URGES ALL OF ITS CONTRACTORS TO PROVIDE A FAIR OPPORTUNITY FOR MINORITIES AND WOMEN TO PARTICIPATE IN THEIR WORK FORCE AND AS SUBCONTRACTORS AND VENDORS UNDER CITY CONTRACTS.

17. Modifications. Entire Agreement. A modification of this contract is not valid unless signed by both parties and otherwise in accordance with requirements of law. Further, a modification is not enforceable against the City unless it is signed by the City Manager, a deputy or assistant City Manager, or, in limited circumstances, a City department director. This contract contains the entire agreement between the parties pertaining to the subject matter of this contract. With respect to that subject matter, there are no promises, agreements, conditions, inducements, warranties, or understandings, written or oral, expressed or implied, between the parties, other than as set forth or referenced in this contract.

18. City's Manager's Authority. To the extent, if any, the City has the power to suspend or terminate this contract or the Contractor's services under this contract, that power may be exercised by City Manager or a deputy or assistant City Manager without City Council action.

IN WITNESS WHEREOF, the City and the Contractor have caused this Contract to be executed under seal themselves or by their respective duly authorized agents or offices.

ATTEST:

CITY OF DURHAM

By: _____

preaudit certificate, if applicable _____

<p>ATTEST:</p> <p>_____</p> <p>_____ Secretary</p> <p>(Affix Corporate Seal)</p>	<p>CONTRACTOR NAME</p> <p>By: _____</p> <p>Title: _____</p>
--	---

ACKNOWLEDGMENT BY CORPORATION

State of _____

County of _____

I, _____, notary public, certify that _____ personally appeared before me this day and stated that he or she is _____ President of _____, a corporation, and that by authority duly given and as the act of the corporation, he or she signed the foregoing contract or agreement with the City of Durham and the corporate seal was affixed thereto. This the _____ day of _____, 20__ .

My commission expires:

Notary Public

GENERAL PROVISIONS

Description of Work:

This section of technical specifications sets forth the material, construction methods, performance requirements, and basis of payment for the Work associated with the roadway and traffic signal construction proposed for this project. This work includes, but may not be limited to, the following major items of work:

Clearing, Grading, Paving, Drainage, Curb and Gutter, Pavement Markings, Signing, and Traffic Signal Construction

Governing Technical Specifications:

The following technical specification volumes shall be applied in their entirety, except as specifically modified by the special provisions of this section of the Contract Documents.

The published volume entitled “North Carolina Department of Transportation, Raleigh, Standard Specifications for Roads and Structures, January, 2018” with all amendments and supplements thereto, is by reference incorporated into and made a part of this contract; that, except as modified by Project Special Provisions in this section, all the construction items included in the plans for this section of Work are to be done in accordance with the specifications contained in said volume, and amendments and supplements thereto, under the direction of the Engineer.

The published volume entitled “Highway Design Branch Roadway Standard Drawings, January, 2018” with all amendments and supplements thereto, is by reference incorporated into and made a part of this contract; that, except as modified by Project Special Provisions in this section or by the construction plans, all the construction items included in the plans for this section of Work are to be done in accordance with the requirements contained in said volume, and amendments and supplements thereto, under the direction of the Engineer.

The published volume entitled “City of Durham Water and Sewer Construction Specifications,” authored by the City of Durham, current edition, with all subsequent amendments and supplements thereto, is by reference incorporated into and made a part of this contract; that, all the items required for water and sewer relocations incidental to the construction are to be done in accordance with the specifications contained in said volume, and amendments and supplements thereto, under the direction of the Engineer.

Measurement and Payment:

Measurement and payment will be made in accordance with the applicable section of the governing technical specifications listed herein, except as specifically modified by the Project Special Provisions contained in this section of the Contract Documents.

CONTRACT TIME AND LIQUIDATED DAMAGES

SP1 G10 A

The date of availability for this contract is **upon written notice to proceed**.

The completion date for this contract is **270 days after the notice to proceed date**.

The liquidated damages for this contract are **Four Hundred Dollars (\$400.00) per calendar day**. Contractor and the City of Durham recognize that time is of the essence of this Contract Document and that the City of Durham will suffer financial loss if the Work is not completed within the times specified above, plus any extensions thereof allowed in accordance NCDOT Specifications. The parties also recognize the delays, expense, and difficulties involved in proving, in a legal or arbitration proceeding, the actual loss suffered by the City of Durham if the Work is not completed on time. Accordingly, instead of requiring any such proof, the City of Durham and the Contractor agree that as liquidated damages for the delay (but not as a penalty), Contractor shall pay the City of Durham four hundred dollars (\$400.00) for each day that expires after the time specified above for Substantial Completion until the Work is substantially complete. After Substantial Completion, if Contractor shall neglect, refuse, or fail to complete the remaining Work within the Contract Time or any proper extension thereof granted by the City of Durham, Contractor shall pay the City of Durham four hundred dollars (\$400.00) for each day that expires after the time specified above for completion and readiness for final payment until the Work is completed and ready for final payment.

NO MAJOR CONTRACT ITEMS:

SP1 G31

None of the items included in this contract will be major items.

NO SPECIALTY ITEMS:

G34

None of the items included in this contract will be specialty items (see Article 108-6 of the 2018 Standard Specifications).

FUEL PRICE ADJUSTMENTS:

(1-3-12)

SP1 G43

No fuel price adjustments will be made on this project.

INTERMEDIATE CONTRACT TIME NUMBER 1 AND LIQUIDATED DAMAGES:

(2-20-07)

108

SP1 G14 B

The Contractor shall not narrow or close a lane of traffic, detain and /or alter the traffic flow on or during holiday weekends, special events, or any other time when traffic is unusually heavy, including the following schedules:

HOLIDAY AND HOLIDAY WEEKEND LANE CLOSURE RESTRICTIONS

1. For **unexpected occurrence** that creates unusually high traffic volumes, as directed by the Engineer.
2. For **New Year's Day**, between the hours of **4:00 PM** December 31st and **9:00 AM** January 2nd. If New Year's Day is on a Friday, Saturday, Sunday or Monday, then until **9:00 AM** the following Tuesday.
3. For **Easter**, between the hours of **4:00 PM** Thursday and **9:00 AM** Monday.
4. For **Memorial Day**, between the hours of **4:00 PM** Friday and **9:00 AM** Tuesday.
5. For **Independence Day**, between the hours of **4:00 PM** the day before Independence Day and **9:00 AM** the day after Independence Day.

If **Independence Day** is on a Friday, Saturday, Sunday or Monday, then between the hours of **4:00 PM** the Thursday before Independence Day and **9:00 AM** the Tuesday after Independence Day.
6. For **Labor Day**, between the hours of **4:00 PM** Friday and **9:00 AM** Tuesday.
7. For **Thanksgiving Day**, between the hours of **4:00 PM** Tuesday and **9:00 AM** Monday.
8. For **Christmas**, between the hours of **4:00 PM** the Friday before the week of Christmas Day and **9:00 AM** the following Tuesday after the week of Christmas Day.

Holidays and holiday weekends shall include New Year's, Easter, Memorial Day, Independence Day, Labor Day, Thanksgiving, and Christmas. The Contractor shall schedule his work so that lane closures are not required during these periods, unless otherwise directed by the Engineer.

The time of availability for this intermediate contract work shall be the time the Contractor begins to install all traffic control devices for lane closures according to the time restrictions listed herein.

The completion time for this intermediate contract work shall be the time the Contractor is required to complete the removal of all traffic control devices for lane closures according to the time restrictions stated herein and place traffic in the existing traffic pattern.

The liquidated damages are **Five Hundred Dollars (\$500.00)** per fifteen (15) minutes interval.

INTERMEDIATE CONTRACT TIME NUMBER 2 AND LIQUIDATED DAMAGES:

(2-20-07)

108

SP1 G14 C

The Contractor shall provide the City of Durham with a Traffic Control Plan for approval. The Contractor shall not close or narrow a lane of traffic beyond which is outlined in the approved Traffic Control Plan.

The time of availability and completion time for this intermediate contract time will be stated in the approved Traffic Control Plan.

The liquidated damages are **Five Hundred Dollars (\$500.00)** per fifteen (15) minutes interval.

PERMANENT VEGETATION ESTABLISHMENT:

(2-16-12) (Rev. 10-15-13)

104

SP1 G16

Establish a permanent stand of the vegetation mixture shown in the contract. During the period between initial vegetation planting and final project acceptance, perform all work necessary to establish permanent vegetation on all erodible areas within the project limits, as well as, in borrow and waste pits. This work shall include erosion control device maintenance and installation, repair seeding and mulching, supplemental seeding and mulching, mowing, and fertilizer topdressing, as directed. All work shall be performed in accordance with the applicable section of the *2018 Standard Specifications*. All work required for initial vegetation planting shall be performed as a part of the work necessary for the completion and acceptance of the Intermediate Contract Time (ICT). Between the time of ICT and Final Project acceptance, or otherwise referred to as the vegetation establishment period, the Department will be responsible for preparing the required National Pollutant Discharge Elimination System (NPDES) inspection records.

Once the Engineer has determined that the permanent vegetation establishment requirement has been achieved at an 80% vegetation density (the amount of established vegetation per given area to stabilize the soil) and no erodible areas exist within the project limits, the Contractor will be notified to remove the remaining erosion control devices that are no longer needed. The Contractor will be responsible for, and shall correct any areas disturbed by operations performed in permanent vegetation establishment and the removal of temporary erosion control measures, whether occurring prior to or after placing traffic on the project.

Payment for *Response for Erosion Control, Seeding and Mulching, Repair Seeding, Supplemental Seeding, Mowing, Fertilizer Topdressing, Silt Excavation, and Stone for Erosion Control* will be made at contract unit prices for the affected items. Work required that is not represented by contract line items will be paid in accordance with Articles 104-7 or 104-3 of the *2018 Standard Specifications*. No additional compensation will be made for maintenance and removal of temporary erosion control items.

EROSION AND SEDIMENT CONTROL/STORMWATER CERTIFICATION:

(1-16-07) (Rev 11-22-16)

105-16, 225-2, 16

SP1 G180

General

Schedule and conduct construction activities in a manner that will minimize soil erosion and the resulting sedimentation and turbidity of surface waters. Comply with the requirements herein

regardless of whether or not a National Pollution discharge Elimination System (NPDES) permit for the work is required.

Establish a chain of responsibility for operations and subcontractors' operations to ensure that the *Erosion and Sediment Control/Stormwater Pollution Prevention Plan* is implemented and maintained over the life of the contract.

- (A) *Certified Supervisor* - Provide a certified Erosion and Sediment Control/Stormwater Supervisor to manage the Contractor and subcontractor operations, insure compliance with Federal, State and Local ordinances and regulations, and manage the Quality Control Program.
- (B) *Certified Foreman* - Provide a certified, trained foreman for each construction operation that increases the potential for soil erosion or the possible sedimentation and turbidity of surface waters.
- (C) *Certified Installer* - Provide a certified installer to install or direct the installation for erosion or sediment/stormwater control practices.
- (D) *Certified Designer* - Provide a certified designer for the design of the erosion and sediment control/stormwater component of reclamation plans and, if applicable, for the design of the project erosion and sediment control/stormwater plan.

Roles and Responsibilities

- (A) *Certified Erosion and Sediment Control/Stormwater Supervisor* - The Certified Supervisor shall be Level II and responsible for ensuring the erosion and sediment control/stormwater plan is adequately implemented and maintained on the project and for conducting the quality control program. The Certified Supervisor shall be on the project within 24 hours notice from initial exposure of an erodible surface to the project's final acceptance. Perform the following duties:
 - (1) *Manage Operations* - Coordinate and schedule the work of subcontractors so that erosion and sediment control/stormwater measures are fully executed for each operation and in a timely manner over the duration of the contract.
 - (a) Oversee the work of subcontractors so that appropriate erosion and sediment control/stormwater preventive measures are conformed to at each stage of the work.
 - (b) Prepare the required National Pollutant Discharge Elimination System (NPDES) Inspection Record and submit to the Engineer.
 - (c) Attend all weekly or monthly construction meetings to discuss the findings of the NPDES inspection and other related issues.
 - (d) Implement the erosion and sediment control/stormwater site plans requested.
 - (e) Provide any needed erosion and sediment control/stormwater practices for the Contractor's temporary work not shown on the plans, such as, but not limited to work platforms, temporary construction, pumping operations, plant and storage yards, and cofferdams.

- (f) Acquire applicable permits and comply with requirements for borrow pits, dewatering, and any temporary work conducted by the Contractor in jurisdictional areas.
 - (g) Conduct all erosion and sediment control/stormwater work in a timely and workmanlike manner.
 - (h) Fully perform and install erosion and sediment control/stormwater work prior to any suspension of the work.
 - (i) Coordinate with Department, Federal, State and Local Regulatory agencies on resolution of erosion and sediment control/stormwater issues due to the Contractor's operations.
 - (j) Ensure that proper cleanup occurs from vehicle tracking on paved surfaces or any location where sediment leaves the Right-of-Way.
 - (k) Have available a set of erosion and sediment control/stormwater plans that are initialed and include the installation date of Best Management Practices. These practices shall include temporary and permanent groundcover and be properly updated to reflect necessary plan and field changes for use and review by Department personnel as well as regulatory agencies.
- (2) Requirements set forth under the NPDES Permit - The Department's NPDES Stormwater permit (NCS000250) outlines certain objectives and management measures pertaining to construction activities. The permit references *NCG010000, General Permit to Discharge Stormwater* under the NPDES, and states that the Department shall incorporate the applicable requirements into its delegated Erosion and Sediment Control Program for construction activities disturbing one or more acres of land. The Department further incorporates these requirements on all contracted bridge and culvert work at jurisdictional waters, regardless of size. Some of the requirements are, but are not limited to:
- (a) Control project site waste to prevent contamination of surface or ground waters of the state, i.e. from equipment operation/maintenance, construction materials, concrete washout, chemicals, litter, fuels, lubricants, coolants, hydraulic fluids, any other petroleum products, and sanitary waste.
 - (b) Inspect erosion and sediment control/stormwater devices and stormwater discharge outfalls at least once every 7 calendar days and within 24 hours after a rainfall event of 0.5 inch that occurs within a 24 hour period. Additional monitoring may be required at the discretion of Division of Water Resources personnel if the receiving stream is 303(d) listed for turbidity and the project has had documented problems managing turbidity.
 - (c) Maintain an onsite rain gauge or use the Department's Multi-Sensor Precipitation Estimate website to maintain a daily record of rainfall amounts and dates.
 - (d) Maintain erosion and sediment control/stormwater inspection records for review by Department and Regulatory personnel upon request.
 - (e) Implement approved reclamation plans on all borrow pits, waste sites and staging areas.
 - (f) Maintain a log of turbidity test results as outlined in the Department's Procedure for Monitoring Borrow Pit Discharge.
 - (g) Provide secondary containment for bulk storage of liquid materials.

- (h) Provide training for employees concerning general erosion and sediment control/stormwater awareness, the Department's NPDES Stormwater Permit NCS000250 requirements, and the applicable requirements of the *General Permit, NCG010000*.
 - (i) Report violations of the NPDES permit to the Engineer immediately who will notify the Division of Water Quality Regional Office within 24 hours of becoming aware of the violation.
- (3) Quality Control Program - Maintain a quality control program to control erosion, prevent sedimentation and follow provisions/conditions of permits. The quality control program shall:
- (a) Follow permit requirements related to the Contractor and subcontractors' construction activities.
 - (b) Ensure that all operators and subcontractors on site have the proper erosion and sediment control/stormwater certification.
 - (c) Notify the Engineer when the required certified erosion and sediment control/stormwater personnel are not available on the job site when needed.
 - (d) Conduct the inspections required by the NPDES permit.
 - (e) Take corrective actions in the proper timeframe as required by the NPDES permit for problem areas identified during the NPDES inspections.
 - (f) Incorporate erosion control into the work in a timely manner and stabilize disturbed areas with mulch/seed or vegetative cover on a section-by-section basis.
 - (g) Use flocculants approved by state regulatory authorities where appropriate and where required for turbidity and sedimentation reduction.
 - (h) Ensure proper installation and maintenance of temporary erosion and sediment control devices.
 - (i) Remove temporary erosion or sediment control devices when they are no longer necessary as agreed upon by the Engineer.
 - (j) The Contractor's quality control and inspection procedures shall be subject to review by the Engineer. Maintain NPDES inspection records and make records available at all times for verification by the Engineer.
- (B) *Certified Foreman* - At least one Certified Foreman shall be onsite for each type of work listed herein during the respective construction activities to control erosion, prevent sedimentation and follow permit provisions:
- (1) Foreman in charge of grading activities
 - (2) Foreman in charge of bridge or culvert construction over jurisdictional areas
 - (3) Foreman in charge of utility activities

The Contractor may request to use the same person as the Level II Supervisor and Level II Foreman. This person shall be onsite whenever construction activities as described above are taking place. This request shall be approved by the Engineer prior to work beginning.

The Contractor may request to name a single Level II Foreman to oversee multiple construction activities on small bridge or culvert replacement projects. This request shall be approved by the Engineer prior to work beginning.

- (C) *Certified Installers* - Provide at least one onsite, Level I Certified Installer for each of the following erosion and sediment control/stormwater crew:
- (1) Seeding and Mulching
 - (2) Temporary Seeding
 - (3) Temporary Mulching
 - (4) Sodding
 - (5) Silt fence or other perimeter erosion/sediment control device installations
 - (6) Erosion control blanket installation
 - (7) Hydraulic tackifier installation
 - (8) Turbidity curtain installation
 - (9) Rock ditch check/sediment dam installation
 - (10) Ditch liner/matting installation
 - (11) Inlet protection
 - (12) Riprap placement
 - (13) Stormwater BMP installations (such as but not limited to level spreaders, retention/detention devices)
 - (14) Pipe installations within jurisdictional areas

If a Level I *Certified Installer* is not onsite, the Contractor may substitute a Level II Foreman for a Level I Installer, provided the Level II Foreman is not tasked to another crew requiring Level II Foreman oversight.

- (D) *Certified Designer* - Include the certification number of the Level III-B Certified Designer on the erosion and sediment control/stormwater component of all reclamation plans and if applicable, the certification number of the Level III-A Certified Designer on the design of the project erosion and sediment control/stormwater plan.

Preconstruction Meeting

Furnish the names of the *Certified Erosion and Sediment Control/Stormwater Supervisor*, *Certified Foremen*, *Certified Installers* and *Certified Designer* and notify the Engineer of changes in certified personnel over the life of the contract within 2 days of change.

Ethical Responsibility

Any company performing work for the City of Durham has the ethical responsibility to fully disclose any reprimand or dismissal of an employee resulting from improper testing or falsification of records.

Revocation or Suspension of Certification

Upon recommendation of the Engineer to the certification entity, certification for *Supervisor*, *Certified Foremen*, *Certified Installers* and *Certified Designer* may be revoked or suspended with the issuance of an *Immediate Corrective Action (ICA)*, *Notice of Violation (NOV)*, or *Cease and Desist Order* for erosion and sediment control/stormwater related issues.

The Engineer may recommend suspension or permanent revocation of certification due to the following:

- (A) Failure to adequately perform the duties as defined within this certification provision.
- (B) Issuance of an ICA, NOV, or Cease and Desist Order.
- (C) Failure to fully perform environmental commitments as detailed within the permit conditions and specifications.
- (D) Demonstration of erroneous documentation or reporting techniques.
- (E) Cheating or copying another candidate's work on an examination.
- (F) Intentional falsification of records.
- (G) Directing a subordinate under direct or indirect supervision to perform any of the above actions.
- (H) Dismissal from a company for any of the above reasons.
- (I) Suspension or revocation of one's certification by another entity.

Suspension or revocation of a certification will be sent by certified mail to the certificant and the Corporate Head of the company that employs the certificant.

A certificant has the right to appeal any adverse action which results in suspension or permanent revocation of certification by responding, in writing, to the Engineer within 10 calendar days after receiving notice of the proposed adverse action.

Engineering Services Division
Department of Public Works
101 City Hall Plaza
City of Durham, 27701

Failure to appeal within 10 calendar days will result in the proposed adverse action becoming effective on the date specified on the certified notice. Failure to appeal within the time specified will result in a waiver of all future appeal rights regarding the adverse action taken. The certificant will not be allowed to perform duties associated with the certification during the appeal process.

The Engineer will hear the appeal and make a decision within 7 days of hearing the appeal. Decision of the Engineer will be final and will be made in writing to the certificant.

If a certification is temporarily suspended, the certificant shall pass any applicable written examination and any proficiency examination, at the conclusion of the specified suspension period, prior to having the certification reinstated.

Measurement and Payment

Certified Erosion and Sediment Control/Stormwater Supervisor, Certified Foremen, Certified Installers and Certified Designer will be incidental to the project for which no direct compensation will be made.

UNDERUTILIZED BUSINESS ENTERPRISE (LOCAL GOVERNMENT AGENCIES)

See Appendix A

CITY OF DURHAM ONE CALL:

To report problems call: **919-560-1200**

ASPHALT BINDER CONTENT OF ASPHALT PLANT MIXES:

Refer to the NCDOT Quality Management System (QMS) for asphalt binder content of asphalt plant mixes.

ROADWAY PROVISIONS**CONSTRUCTION SEQUENCE:**

(7-1-95) (Rev. 8-21-12)

560

SP1 R34R

Pave each section of roadway begun in a continuous operation. Do not begin work on another section of roadway unless satisfactory progress is being made toward completion of intersections and all other required incidental work by satisfactorily furnishing additional paving equipment and personnel, except for milling and patching operations.

CLEARING AND GRUBBING - METHOD II:

(9-17-02) (Rev.8-18-15)

200

SP2 R02A

Perform clearing on this project to the limits established by Method "II" shown on Standard Drawing No. 200.02 of the *2018 Roadway Standard Drawings*. Conventional clearing methods may be used except where permit drawings or conditions have been included in the proposal which require certain areas to be cleared by hand methods.

BURNING RESTRICTIONS:

(7-1-95)

200, 210, 215

SP2 R05

Open burning is not permitted on any portion of the right-of-way limits established for this project. Do not burn the clearing, grubbing or demolition debris designated for disposal and generated from the project at locations within the project limits, off the project limits or at any waste or borrow sites in this county. Dispose of the clearing, grubbing and demolition debris by means other than burning, according to state or local rules and regulations.

BORROW EXCAVATION (IN PLACE OR TRUCK MEASUREMENT):

(7-1-95)

230

SP2 R58

The borrow material used on this project will be measured for payment by in place measurement as provided in Article 230-5 of the *2018 Standard Specifications*, or by truck measurement as provided in Article 230-5 of the *2018 Standard Specifications*, as directed by the Engineer.

FINE GRADING:

(1-16-96)

500

SP5 R05

The fine grading used on this project will be measured for payment by in place measurement as provided in Article 500 of the *2018 Standard Specifications*

SAW CUTTING:

Saw cutting is incidental for this contract.

INCIDENTAL STONE BASE:

(7-1-95) (Rev.8-21-12)

545

SP5 R28R

Description

Place incidental stone base on driveways, mailboxes, etc. immediately after paving and do not have the paving operations exceed stone base placement by more than one week without written permission of the Engineer.

Materials and Construction

Provide and place incidental stone base in accordance with Section 545 of the *2018 Standard Specifications*.

Measurement and Payment

Incidental Stone Base will be measured and paid in accordance with Article 545-6 of the *2018 Standard Specifications*.

ASPHALT CONCRETE PLANT MIX PAVEMENTS:

(2-20-18)

610, 1012

SP6 R65

The NCDOT Quality Management System (QMS) Manual will be used for this project.

PRICE ADJUSTMENT - ASPHALT BINDER FOR PLANT MIX:

(11-21-00)

620

SP6 R25

Price adjustments for asphalt binder for plant mix will be made in accordance with Section 620 of the *2018 Standard Specifications*.

The base price index for asphalt binder for plant mix is **\$ 561.11** per ton.

This base price index represents an average of F.O.B. selling prices of asphalt binder at supplier's terminals on **September 1, 2018**.

PATCHING EXISTING PAVEMENT:

(1-15-02) (Rev.12-18-12)

610

SP6 R88R

Description

The Contractor's attention is directed to the fact that there are areas of existing pavement on this project that will require repair prior to resurfacing. Patch the areas that, in the opinion of the Engineer, need repairing. The areas to be patched will be delineated by the Engineer prior to the Contractor performing repairs.

Materials

The patching consists of Asphalt Concrete Base Course, Asphalt Concrete Intermediate Course, Asphalt Concrete Surface Course, or a combination of base, binder and surface course.

Construction Methods

Remove existing pavement at locations directed by the Engineer in accordance with Section 250 of the *2018 Standard Specifications*.

Place Asphalt Concrete Base Course, in lifts not exceeding 5.5 inches. Utilize compaction equipment suitable for compacting patches as small as 3.5 feet by 6 feet on each lift. Use an approved compaction pattern to achieve proper compaction. If patched pavement is to be open to traffic for more than 48 hours prior to overlay, use Asphalt Surface Course in the top 1.5 inches of the patch.

Schedule operations so that all areas where pavement has been removed will be repaired on the same day of the pavement removal and all lanes of traffic restored.

Measurement and Payment

Patching Existing Pavement will be measured and paid as the actual number of tons of asphalt plant mix complete in place that has been used to make completed and accepted repairs. The asphalt plant mixed material will be measured by being weighed in trucks on certified platform scales or other certified weighing devices. The above price and payment will be full compensation for all work covered by this provision, including but not limited to removal and disposal of all types of pavement; furnishing and applying tack coat; furnishing, placing, and compacting of asphalt plant mix; furnishing of asphalt binder for the asphalt plant mix; and furnishing scales.

Patching Existing Pavement will be considered a minor item. Any provisions included in the contract that provides for adjustments in compensation due to variations in the price of asphalt binder will not be applicable to payment for the work covered by this provision.

Payment will be made under:

Pay Item	Pay Unit
Patching Existing Pavement	Ton

HIGH STRENGTH CONCRETE FOR DRIVEWAYS:

(11-21-00) (Rev. 1-17-12)

848

SP10 R02

Use high early strength concrete for all driveways shown in the plans and as directed by the Engineer. Provide high early strength concrete that meets the requirements of Article 1000-5 of the *2018 Standard Specifications*.

Measurement and payment will be in accordance with Section 848 of the *2018 Standard Specifications*.

TEMPORARY TRAFFIC CONTROL DEVICES:

(1-17-12)

1105

SP11 R05

Revise the *2018 Standard Specifications* as follows:

Page 11-5, Article 1105-6 Measurement and Payment, add the following paragraph after line 24:

Partial payments will be made on each payment estimate based on the following: 50% of the contract lump sum price bid will be paid on the first monthly estimate and the remaining 50% of the contract lump sum price bid will be paid on each subsequent estimate based on the percent of the project completed.

Temporary traffic control devices are not allowed to block pedestrian access. The contractor will seek other methods of placing traffic control devices if there is a conflict with pedestrian access.

PERMANENT SEEDING AND MULCHING:

(7-1-95)

1660

SP16 R02

The Department desires that permanent seeding and mulching be established on this project as soon as practical after slopes or portions of slopes have been graded. As an incentive to obtain an early stand of vegetation on this project, the Contractor's attention is called to the following:

For all permanent seeding and mulching that is satisfactorily completed in accordance with the requirements of Section 1660 in the *2018 Standard Specifications* and within the following percentages of elapsed contract times, an additional payment will be made to the Contractor as an incentive additive. The incentive additive will be determined by multiplying the number of acres of seeding and mulching satisfactorily completed times the contract unit bid price per acre for Seeding and Mulching times the appropriate percentage additive.

Percentage of Elapsed Contract Time	Percentage Additive
0% - 30%	30%
30.01% - 50%	15%

Percentage of elapsed contract time is defined as the number of calendar days from the date of availability of the contract to the date the permanent seeding and mulching is acceptably completed divided by the total original contract time.

STABILIZATION REQUIREMENTS:

(3-11-16)

S-1

Stabilization for this project shall comply with the time frame guidelines as specified by the NCG-010000 general construction permit effective August 3, 2011 issued by the North Carolina Department of Environment and Natural Resources Division of Water Quality. Temporary or permanent ground cover stabilization shall occur within 7 calendar days from the last land-disturbing activity, with the following exceptions in which temporary or permanent ground cover shall be provided in 14 calendar days from the last land-disturbing activity:

- Slopes between 2:1 and 3:1, with a slope length of 10 ft. or less
- Slopes 3:1 or flatter, with a slope of length of 50 ft. or less
- Slopes 4:1 or flatter

The stabilization timeframe for High Quality Water (HQW) Zones shall be 7 calendar days with no exceptions for slope grades or lengths. High Quality Water Zones (HQW) Zones are defined by North Carolina Administrative Code 15A NCAC 04A.0105 (25). Temporary and permanent ground cover stabilization shall be achieved in accordance with the provisions in this contract and as directed.

(East)

SEEDING AND MULCHING:

The kinds of seed and fertilizer, and the rates of application of seed, fertilizer, and limestone, shall be as stated below. During periods of overlapping dates, the kind of seed to be used shall be determined. All rates are in pounds per acre.

All Roadway Areas

March 1 - August 31		September 1 - February 28	
50#	Tall Fescue	50#	Tall Fescue
10#	Centipede	10#	Centipede
25#	Bermudagrass (hulled)	35#	Bermudagrass (unhulled)
500#	Fertilizer	500#	Fertilizer
4000#	Limestone	4000#	Limestone

Waste and Borrow Locations

March 1 – August 31		September 1 - February 28	
75#	Tall Fescue	75#	Tall Fescue
25#	Bermudagrass (hulled)	35#	Bermudagrass (unhulled)
500#	Fertilizer	500#	Fertilizer
4000#	Limestone	4000#	Limestone

Note: 50# of Bahiagrass may be substituted for either Centipede or Bermudagrass only upon Engineer's request.

Approved Tall Fescue Cultivars

06 Dust	Escalade	Justice	Scorpion
2 nd Millennium	Essential	Kalahari	Serengeti
3 rd Millennium	Evergreen 2		Shelby
Apache III	Falcon IV	Kitty Hawk 2000	Sheridan
Avenger	Falcon NG	Legitimate	Signia
Barlexas	Falcon V	Lexington	Silver Hawk
Barlexas II	Faith	LSD	Sliverstar
Bar Fa	Fat Cat	Magellan	Shenandoah Elite
Barrera	Festnova	Matador	Sidewinder
Barrington	Fidelity	Millennium SRP	Skyline
Barrobusto	Finelawn Elite	Monet	Solara
Barvado	Finelawn Xpress	Mustang 4	Southern Choice II
Biltmore	Finesse II	Ninja 2	Speedway
Bingo	Firebird	Ol' Glory	Spyder LS
Bizem	Firecracker LS	Olympic Gold	Sunset Gold
Blackwatch	Fireza	Padre	Taccoa
Blade Runner II	Five Point	Patagonia	Tanzania
Bonsai	Focus	Pedigree	Trio
Braveheart	Forte	Picasso	Tahoe II
Bravo	Garrison	Piedmont	Talladega
Bullseye	Gazelle II	Plantation	Tarheel
Cannavaro	Gold Medallion	Proseeds 5301	Terrano
Catalyst	Grande 3	Prospect	Titan ltd
Cayenne	Greenbrooks	Pure Gold	Titanium LS
Cessane Rz	Greenkeeper	Quest	Tracer
Chipper	Gremlin	Raptor II	Traverse SRP
Cochise IV	Greystone	Rebel Exeda	Tulsa Time
Constitution	Guardian 21	Rebel Sentry	Turbo
Corgi	Guardian 41	Rebel IV	Turbo RZ
Corona	Hemi	Regiment II	Tuxedo RZ
Coyote	Honky Tonk	Regenerate	Ultimate
Darlington	Hot Rod	Rendition	Venture
Davinci	Hunter	Rhambler 2 SRP	Umbrella
Desire	Inferno	Rembrandt	Van Gogh
Dominion	Innovator	Reunion	Watchdog
Dynamic	Integrity	Riverside	Wolfpack II
Dynasty	Jaguar 3	RNP	Xtremegreen
Endeavor	Jamboree	Rocket	

On cut and fill slopes 2:1 or steeper Centipede shall be applied at the rate of 5 pounds per acre and add 20# of Sericea Lespedeza from January 1 - December 31.

Fertilizer shall be 10-20-20 analysis. A different analysis of fertilizer may be used provided the 1-2-2 ratio is maintained and the rate of application adjusted to provide the same amount of plant food as a 10-20-20 analysis and as directed.

WATTLE:

(10-19-10) (Rev. 1-17-12)

1060,1630,1631

T1

Description

Wattles are tubular products consisting of excelsior fibers encased in synthetic netting. Wattles are used on slopes or channels to intercept runoff and act as a velocity break. Wattles are to be placed at locations shown on the plans or as directed. Installation shall follow the detail provided in the plans and as directed. Work includes furnishing materials, installation of wattles, matting installation, and removing wattles.

Materials

Wattle shall meet the following specifications:

100% Curled Wood(Excelsior) Fibers	
Minimum Diameter	12 in.
Minimum Density	2.5 lb/ft ³ +/- 10%
Net Material	Synthetic
Net Openings	1 in. x 1 in.
Net Configuration	Totally Encased
Minimum Weight	20 lb. +/- 10% per 10 ft. length

Stakes shall be used as anchors.

Provide hardwood stakes a minimum of 2-ft. long with a 2" x 2" nominal square cross section. One end of the stake must be sharpened or beveled to facilitate driving down into the underlying soil.

Matting shall meet the requirements of Article 1060-8 of the *2018 Standard Specifications*, or shall meet specifications provided elsewhere in this contract.

Provide staples made of 0.125" diameter new steel wire formed into a *u* shape not less than 12" in length with a throat of 1" in width.

Construction Methods

Wattles shall be secured to the soil by wire staples approximately every 1 linear foot and at the end of each section of wattle. A minimum of 4 stakes shall be installed on the downstream side of the wattle with a maximum spacing of 2 linear feet along the wattle, and according to the detail. Install a minimum of 2 stakes on the upstream side of the wattle according to the detail provided in the plans. Stakes shall be driven into the ground a minimum of 10" with no more than 2"

projecting from the top of the wattle. Drive stakes at an angle according to the detail provided in the plans.

Only install wattle(s) to a height in ditch so flow will not wash around wattle and scour ditch slopes and according to the detail provided in the plans and as directed. Overlap adjoining sections of wattles a minimum of 6".

Installation of matting shall be in accordance with the detail provided in the plans, and in accordance with Article 1631-3 of the *2018 Standard Specifications*, or in accordance with specifications provided elsewhere in this contract.

The Contractor shall maintain the wattles until the project is accepted or until the wattles are removed, and shall remove and dispose of silt accumulations at the wattles when so directed in accordance with the requirements of Section 1630 of the *2018 Standard Specifications*.

Measurement and Payment

Wattle will be measured and paid for by the actual number of linear feet of wattles which are installed and accepted. Such price and payment will be full compensation for all work covered by this section, including, but not limited to, furnishing all materials, labor, equipment and incidentals necessary to install the *Wattle*.

Matting will be measured and paid for in accordance with Article 1631-4 of the *2018 Standard Specifications*, or in accordance with specifications provided elsewhere in this contract.

Payment will be made under:

Pay Item
Wattle

Pay Unit
Linear Foot

WATTLES WITH POLYACRYLAMIDE (PAM):

(10-19-10) (Rev. 1-17-12)

1060,1630,1631

T2

Description

Wattles are tubular products consisting of excelsior fibers encased in synthetic netting. Wattles are used on slopes or channels to intercept runoff and act as a velocity break. Wattles are to be placed at locations shown on the plans or as directed. Installation shall follow the detail provided in the plans and as directed. Work includes furnishing materials, installation of wattles, matting installation, PAM application, and removing wattles.

Materials

Wattle shall meet the following specifications:

100% Curled Wood(Excelsior) Fibers	
Minimum Diameter	12 in.
Minimum Density	2.5 lb/ft ³ +/- 10%
Net Material	Synthetic
Net Openings	1 in. x 1 in.
Net Configuration	Totally Encased
Minimum Weight	20 lb. +/- 10% per 10 ft. length

Stakes shall be used as anchors.

Provide hardwood stakes a minimum of 2-ft. long with a 2 in. x 2 in. nominal square cross section. One end of the stake must be sharpened or beveled to facilitate driving down into the underlying soil.

Matting shall meet the requirements of Article 1060-8 of the *2018 Standard Specifications*, or shall meet specifications provided elsewhere in this contract.

Provide staples made of 0.125" diameter new steel wire formed into a *u* shape not less than 12" in length with a throat of 1" in width.

Polyacrylamide (PAM) shall be applied in powder form and shall be anionic or neutrally charged. Soil samples shall be obtained in areas where the wattles will be placed, and from offsite material used to construct the roadway, and analyzed for the appropriate PAM flocculant to be utilized with each wattle. The PAM product used shall be listed on the North Carolina Department of Environment and Natural Resources (NCDENR) Division of Water Quality (DWQ) web site as an approved PAM product for use in North Carolina.

Construction Methods

Wattles shall be secured to the soil by wire staples approximately every 1 linear foot and at the end of each section of wattle. A minimum of 4 stakes shall be installed on the downstream side of the wattle with a maximum spacing of 2 linear feet along the wattle, and according to the detail. Install a minimum of 2 stakes on the upstream side of the wattle according to the detail provided in the plans. Stakes shall be driven into the ground a minimum of 10 in. with no more than 2 in. projecting from the top of the wattle. Drive stakes at an angle according to the detail provided in the plans.

Only install wattle(s) to a height in ditch so flow will not wash around wattle and scour ditch slopes and according to the detail provided in the plans and as directed. Overlap adjoining sections of wattles a minimum of 6 in.

Installation of matting shall be in accordance with the detail provided in the plans, and in accordance with Article 1631-3 of the *2018 Standard Specifications*, or in accordance with specifications provided elsewhere in this contract.

Apply PAM over the lower center portion of the wattle where the water is going to flow over at a rate of 2 ounces per wattle, and 1 ounce of PAM on matting on each side of the wattle.

PAM applications shall be done during construction activities after every rainfall event that is equal to or exceeds 0.50 in.

The Contractor shall maintain the wattles until the project is accepted or until the wattles are removed, and shall remove and dispose of silt accumulations at the wattles when so directed in accordance with the requirements of Section 1630 of the *2018 Standard Specifications*.

Measurement and Payment

Wattles will be measured and paid for by the actual number of linear feet of wattles which are installed and accepted. Such price and payment will be full compensation for all work covered by this section, including, but not limited to, furnishing all materials, labor, equipment and incidentals necessary to install the *Wattles*.

Matting will be measured and paid for in accordance with Article 1631-4 of the *2018 Standard Specifications*, or in accordance with specifications provided elsewhere in this contract.

Polyacrylamide (PAM) will be measured and paid for by the actual weight in pounds of PAM applied to the wattles. Such price and payment will be full compensation for all work covered by this section, including, but not limited to, furnishing all materials, labor, equipment and incidentals necessary to apply the *Polyacrylamide (PAM)*.

Payment will be made under:

Pay Item	Pay Unit
Polyacrylamide (PAM)	Pound
Wattle	Linear Foot

REMOVAL AND REPLACEMENT OF STREET SIGNS AND MAILBOXES:

Remove and replace mailboxes in accordance with AASHTO Guide for Erecting Mailboxes on Highways and as directed by Project Manager. The Contractor shall be liable to the owner for any damage to any mailbox during the removal and replacement.

Remove and replace street signs, markers, and route markers out of the construction limits of the project and install the street signs and markers and route markers so that they will be visible to the traveling public to the satisfaction of the Project Manager.

Stockpile any signs or markers that cannot be relocated due to lack of right of way, or any signs and markers that will no longer be applicable after the construction of the project, at locations directed by the Project Manager for removal by Others.

The Contractor shall be responsible for any damage to any street signs and markers or route markers during the above described operations.

No direct payment will be made for removing, relocating, reinstalling, and/or stockpiling the mailboxes, street signs and markers, and route markers as such work shall be considered incidental.

PERMITS

The Contractor's attention is directed to the following permits, which have been issued to the Department of Transportation by the authority granting the permit.

<u>PERMIT</u>	<u>AUTHORITY GRANTING THE PERMIT</u>
Stormwater	Division of Energy, Mineral and Land Resources, State of North Carolina

The Contractor shall comply with all applicable permit conditions during construction of this project. Those conditions marked by * are the responsibility of the department and the Contractor has no responsibility in accomplishing those conditions.

Agents of the permitting authority will periodically inspect the project for adherence to the permits.

The Contractor's attention is also directed to Articles 107-10 and 107-13 of the *2018 Standard Specifications* and the following:

Should the Contractor propose to utilize construction methods (such as temporary structures or fill in waters and/or wetlands for haul roads, work platforms, cofferdams, etc.) not specifically identified in the permit (individual, general, or nationwide) authorizing the project it shall be the Contractor's responsibility to coordinate with the Engineer to determine what, if any, additional permit action is required. The Contractor shall also be responsible for initiating the request for the authorization of such construction method by the permitting agency. The request shall be submitted through the Engineer. The Contractor shall not utilize the construction method until it is approved by the permitting agency. The request normally takes approximately 60 days to process; however, no extensions of time or additional compensation will be granted for delays resulting from the Contractor's request for approval of construction methods not specifically identified in the permit.

Where construction moratoriums are contained in a permit condition which restricts the Contractor's activities to certain times of the year, those moratoriums will apply only to the portions of the work taking place in the waters or wetlands provided that activities outside those areas is done in such a manner as to not affect the waters or wetlands.



ROY COOPER
Governor

MICHAEL S. REGAN
Secretary

TRACY DAVIS
Director

August 30, 2017

LETTER OF APPROVAL

City of Durham
ATTN: Tasha N. Johnson, Assistant Public Works Director
101 City Hall Plaza
Durham, NC 27701

RE: Project Name: ST-271, 2018 Petition St., Ardmore & Castell Dr., Missell & Winburn Ave.
Acres Approved: 6.0
Project ID: DURHA-2018-003
County: Durham, City: Durham, Address: Multiple Streets
River Basin: Neuse Stream Classification: Falls Lake Watershed
Submitted By: City of Durham
Date Received by LQS: August 3, 2017
Plan Type: Highway

Dear Ms. Johnson:

This office has reviewed the subject erosion and sedimentation control plan. We find the plan to be acceptable and hereby issue this Letter of Approval. The enclosed Certificate of Approval must be posted at the job site. This plan approval shall expire three (3) years following the date of approval, if no land-disturbing activity has been undertaken, as is required by Title 15A NCAC 4B .0129.

Please be aware that your project will be covered by the enclosed NPDES Construction Stormwater General Permit NCG010000. Please become familiar with all the requirements and conditions of this permit in order to achieve compliance.

Title 15A NCAC 4B .0118(a) requires that a copy of the approved erosion control plan be on file at the job site. Also, this letter gives the notice required by G.S. 113A-61.1(a) of our right of periodic inspection to insure compliance with the approved plan.

Letter of Approval
The City of Durham
August 30, 2017
Page 2 of 2


North Carolina's Sedimentation Pollution Control Act is performance-oriented, requiring protection of existing natural resources and adjoining properties. If, following the commencement of this project, the erosion and sedimentation control plan is inadequate to meet the requirements of the Sedimentation Pollution Control Act of 1973 (North Carolina General Statute 113A-51 through 66), this office may require revisions to the plan and implementation of the revisions to insure compliance with the Act.

Acceptance and approval of this plan is conditioned upon your compliance with Federal and State water quality laws, regulations, and rules. In addition, local city or county ordinances or rules may also apply to this land-disturbing activity. This approval does not supersede any other permit or approval.

Please note that this approval is based in part on the accuracy of the information provided in the Financial Responsibility Form, which you provided. You are requested to file an amended form if there is any change in the information included on the form. In addition, it would be helpful if you notify this office of the proposed starting date for this project. Please notify us if you plan to have a preconstruction conference.

Your cooperation is appreciated.

Sincerely,



Sally Castle, EI
Regional Engineering Associate
Land Quality Section

Enclosures: Certificate of Approval
NPDES Permit

cc: Timothy Watson, PE, City of Durham – Electronic Copy
Danny Smith, DWR Field and Operations Supervisor
DEMLR – Raleigh Regional Office File

CERTIFICATE OF PLAN APPROVAL



The posting of this certificate certifies that an erosion and sedimentation control plan has been approved for this project by the North Carolina Department of Environment and Natural Resources in accordance with North Carolina General Statute 113A - 57 (4) and 113A - 54 (d) (4) and North Carolina Administrative Code, Title 15A, Chapter 4B.0107 (c). This certificate must be posted at the primary entrance of the job site before construction begins and until establishment of permanent groundcover as required by North Carolina Administrative Code, Title 15A, Chapter 4B.0127 (b).

ST-270, 2018 Petition St, Ardmore & Castell Dr., Missell & Winburn Ave.: DURHA-2018-003

Project Name and Location

August 30, 2017

Date of Plan Approval



William Deitz
Regional Engineer

STANDARD SPECIAL PROVISIONS**TEMPORARY CONSTRUCTION ENTRANCE**

Temporary Construction Entrance includes all material, equipment and labor to completely install and maintain the Temporary Construction Entrance as indicated in the contract documents. Materials include; but are not limited to 2"-3" course aggregate, geotextile fabric, etc. Payment for Temporary Construction Entrance will be paid for at the contract unit price per "EACH".

FENCE RESET:

Description

Remove and reset existing fence as indicated on the plans. Includes coordination, demolition, excavation, backfill, materials, and labor, etc.

Materials

Includes but not limited to, new fence is damaged, hardware, concrete, anchors, etc.

Measurement and Payment

The quantity for "Fence Reset" will be paid for by Lineal Foot for the fence that has been incorporated into the work and accepted by the Engineer.

Payment will be made under:

Pay Item	Pay Unit
Fence Reset	Lineal Foot

NCDOT GENERAL SEED SPECIFICATION FOR SEED QUALITY

(5-17-11)

Z-3

Seed shall be sampled and tested by the North Carolina Department of Agriculture and Consumer Services, Seed Testing Laboratory. When said samples are collected, the vendor shall supply an independent laboratory report for each lot to be tested. Results from seed so sampled shall be final. Seed not meeting the specifications shall be rejected by the Department of Transportation and shall not be delivered to North Carolina Department of Transportation warehouses. If seed has been delivered it shall be available for pickup and replacement at the supplier's expense.

Any re-labeling required by the North Carolina Department of Agriculture and Consumer Services, Seed Testing Laboratory, that would cause the label to reflect as otherwise specified herein shall be rejected by the North Carolina Department of Transportation.

Seed shall be free from seeds of the noxious weeds Johnsongrass, Balloonvine, Jimsonweed, Witchweed, Itchgrass, Serrated Tussock, Showy Crotalaria, Smooth Crotalaria, Sicklepod, Sandbur, Wild Onion, and Wild Garlic. Seed shall not be labeled with the above weed species on the seed analysis label. Tolerances as applied by the Association of Official Seed Analysts will **NOT** be allowed for the above noxious weeds except for Wild Onion and Wild Garlic.

Tolerances established by the Association of Official Seed Analysts will generally be recognized. However, for the purpose of figuring pure live seed, the **found** pure seed and **found** germination percentages as reported by the North Carolina Department of Agriculture and Consumer Services,

Seed Testing Laboratory will be used. Allowances, as established by the NCDOT, will be recognized for minimum pure live seed as listed on the following pages.

The specifications for restricted noxious weed seed refers to the number per pound as follows:

<u>Restricted Noxious Weed</u>	<u>Limitations per Lb. Of Seed</u>	<u>Restricted Noxious Weed</u>	<u>Limitations per Lb. of Seed</u>
Blessed Thistle	4 seeds	Cornflower (Ragged Robin)	27 seeds
Cocklebur	4 seeds	Texas Panicum	27 seeds
Spurred Anoda	4 seeds	Bracted Plantain	54 seeds
Velvetleaf	4 seeds	Buckhorn Plantain	54 seeds
Morning-glory	8 seeds	Broadleaf Dock	54 seeds
Corn Cockle	10 seeds	Curly Dock	54 seeds
Wild Radish	12 seeds	Dodder	54 seeds
Purple Nutsedge	27 seeds	Giant Foxtail	54 seeds
Yellow Nutsedge	27 seeds	Horsenettle	54 seeds
Canada Thistle	27 seeds	Quackgrass	54 seeds
Field Bindweed	27 seeds	Wild Mustard	54 seeds
Hedge Bindweed	27 seeds		

Seed of Pensacola Bahiagrass shall not contain more than 7% inert matter, Kentucky Bluegrass, Centipede and Fine or Hard Fescue shall not contain more than 5% inert matter whereas a maximum of 2% inert matter will be allowed on all other kinds of seed. In addition, all seed shall not contain more than 2% other crop seed nor more than 1% total weed seed. The germination rate as tested by the North Carolina Department of Agriculture shall not fall below 70%, which includes both dormant and hard seed. Seed shall be labeled with not more than 7%, 5% or 2% inert matter (according to above specifications), 2% other crop seed and 1% total weed seed.

Exceptions may be made for minimum pure live seed allowances when cases of seed variety shortages are verified. Pure live seed percentages will be applied in a verified shortage situation. Those purchase orders of deficient seed lots will be credited with the percentage that the seed is deficient.

FURTHER SPECIFICATIONS FOR EACH SEED GROUP ARE GIVEN BELOW:

Minimum 85% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 restricted noxious weed seed per pound. Seed less than 83% pure live seed will not be approved.

Sericea Lespedeza
Oats (seeds)

Minimum 80% pure live seed; maximum 1% total weed seed; maximum 2% total other crop; maximum 144 restricted noxious weed seed per pound. Seed less than 78% pure live seed will not be approved.

Tall Fescue (all approved varieties)

Bermudagrass

Kobe Lespedeza
 Korean Lespedeza
 Weeping Lovegrass
 Carpetgrass

Browntop Millet
 German Millet – Strain R
 Clover – Red/White/Crimson

Minimum 78% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 restricted noxious weed seed per pound. Seed less than 76% pure live seed will not be approved.

Common or Sweet Sundangrass

Minimum 76% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 restricted noxious weed seed per pound. Seed less than 74% pure live seed will not be approved.

Rye (grain; all varieties)
 Kentucky Bluegrass (all approved varieties)
 Hard Fescue (all approved varieties)
 Shrub (bicolor) Lespedeza

Minimum 70% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 144 noxious weed seed per pound. Seed less than 70% pure live seed will not be approved.

Centipedegrass	Japanese Millet
Crownvetch	Reed Canary Grass
Pensacola Bahiagrass	Zoysia
Creeping Red Fescue	

Minimum 70% pure live seed; maximum 1% total weed seed; maximum 2% total other crop seed; maximum 5% inert matter; maximum 144 restricted noxious weed seed per pound.

Barnyard Grass
 Big Bluestem
 Little Bluestem
 Bristly Locust
 Birdsfoot Trefoil
 Indiangrass
 Orchardgrass
 Switchgrass
 Yellow Blossom Sweet Clover

ADJUSTMENT OF MANHOLES:

SP8 R95R

The Contractor's attention is directed to Section 858-3 of the *2018 Standard Specifications*.

The use of cast iron or steel fittings in the adjustment of manholes will not be permitted on this project except where it is considered by the Engineer to be in the best interest of the Department to allow rings to be used. When rings are permitted for the adjustment of manholes, the rings shall have satisfactory bearing on the existing manhole frames and 50 percent of the circumference shall be tack welded at four equally spaced locations as directed by the Engineer. If the existing covers do not fit the rings, furnish and install new covers at no additional expense to the Department.

ERRATA

(2-12-18)

Z-4

Revise the *2018 Standard Specifications* as follows:

Division 7

Page 7-27, line 4, Article 725-1 MEASUREMENT AND PAYMENT, replace article number "725-1" with "724-4".

Page 7-28, line 10, Article 725-1 MEASUREMENT AND PAYMENT, replace article number "725-1" with "725-3".

Division 10

Page 10-162, line 1, Article 1080-50 PAINT FOR VERTICAL MARKERS, replace article number "1080-50" with "1080-10".

Page 10-162, line 5, Article 1080-61 EPOXY RESIN FOR REINFORCING STEEL, replace article number "1080-61" with "1080-11".

Page 10-162, line 22, Article 1080-72 ABRASIVE MATERIALS FOR BLAST CLEANING STEEL, replace article number "1080-72" with "1080-12".

Page 10-163, line 25, Article 1080-83 FIELD PERFORMANCE AND SERVICES, replace article number "1080-83" with "1080-13".

PLANT AND PEST QUARANTINES

(Imported Fire Ant, Gypsy Moth, Witchweed, Emerald Ash Borer, And Other Noxious Weeds)

(3-18-03) (Rev. 12-20-16)

Z-04a

Within Quarantined Area

This project may be within a county regulated for plant and/or pests. If the project or any part of the Contractor's operations is located within a quarantined area, thoroughly clean all equipment prior to moving out of the quarantined area. Comply with federal/state regulations by obtaining a certificate or limited permit for any regulated article moving from the quarantined area.

Originating in a Quarantined County

Obtain a certificate or limited permit issued by the N.C. Department of Agriculture/United States Department of Agriculture. Have the certificate or limited permit accompany the article when it arrives at the project site.

Contact

Contact the N.C. Department of Agriculture/United States Department of Agriculture at 1-800-206-9333, 919-707-3730, or <http://www.ncagr.gov/plantindustry/> to determine those specific project sites located in the quarantined area or for any regulated article used on this project originating in a quarantined county.

Regulated Articles Include

1. Soil, sand, gravel, compost, peat, humus, muck, and decomposed manure, separately or with other articles. This includes movement of articles listed above that may be associated with cut/waste, ditch pulling, and shoulder cutting.
2. Plants with roots including grass sod.
3. Plant crowns and roots.
4. Bulbs, corms, rhizomes, and tubers of ornamental plants.
5. Hay, straw, fodder, and plant litter of any kind.
6. Clearing and grubbing debris.
7. Used agricultural cultivating and harvesting equipment.
8. Used earth-moving equipment.
9. Any other products, articles, or means of conveyance, of any character, if determined by an inspector to present a hazard of spreading imported fire ant, gypsy moth, witchweed, emerald ash borer, or other noxious weeds.

TRAFFIC SIGNALS:.....TS-1 THROUGH TS-83

E-VERIFY AFFIDAVIT:

**STATE OF NORTH CAROLINA
CITY OF DURHAM**

NOW COMES Affiant, first being sworn, deposes and says as follows:

1. I have submitted a bid for contract or desire to enter into a contract with the CITY OF DURHAM.

2. As part of my duties and responsibilities pursuant to said bid and/or contract, I attest that I am aware of and in compliance with the requirements of E-Verify, Article 2 of Chapter 64 of the North Carolina General Statutes, to include (mark which applies):

___ After hiring an employee to work in the United States I verify the work authorization of said employee through E-Verify and retain the record of the verification of work authorization while the employee is employed and for one year thereafter; or

___ I employ less than twenty-five (25) employees in the State of North Carolina.

3. As part of my duties and responsibilities pursuant to said bid and/or contract, I attest that to the best of my knowledge any subcontractors employed as a part of this bid and/or contract are in compliance with the requirements of E-Verify, Article 2 of Chapter 64 of the North Carolina General Statutes, to include (mark which applies):

___ After hiring an employee to work in the United States the subcontractor verifies the work authorization of said employee through E-Verify and retain the record of the verification of work authorization while the employee is employed and for one year thereafter; or

___ Employ less than twenty-five (25) employees in the State of North Carolina.

Specify subcontractor: _____

This the _____ day of _____, 201__.

Affiant

Sworn to and subscribed before me, this the _____ day of _____, 201__.

[OFFICIAL SEAL]

_____, Notary Public

My Commission Expires: _____

IRAN DIVESTMENT ACT:

(5-17-16)

SP01 G151

As a result of the Iran Divestment Act of 2015 (Act), Article 6E, N.C. General Statute § 147-86.55, the State Treasurer published the Final Divestment List (List) which includes the Final Divestment List-Iran, and the Parent and Subsidiary Guidance-Iran. These lists identify companies and persons engaged in investment activities in Iran and will be updated every 180 days. The List can be found at <https://www.nctreasurer.com/inside-the-department/OpenGovernment/Pages/Iran-Divestment-Act-Resources.aspx>

By submitting the Offer, the Contractor certifies that, as of the date of this bid, it is not on the then-current List created by the State Treasurer. The Contractor must notify the Department immediately if, at any time before the award of the contract, it is added to the List.

As an ongoing obligation, the Contractor must notify the Department immediately if, at any time during the contract term, it is added to the List. Consistent with § 147-86.59, the Contractor shall not contract with any person to perform a part of the work if, at the time the subcontract is signed, that person is on the then-current List.

During the term of the Contract, should the Department receive information that a person is in violation of the Act as stated above, the Department will offer the person an opportunity to respond and the Department will take action as appropriate and provided for by law, rule, or contract.

TWELVE MONTH GUARANTEE

(10-7-13)

108

SP1 G146

- (A) The Contractor shall guarantee materials and workmanship against latent and patent defects arising from faulty materials, faulty workmanship or negligence for a period of twelve months following the date of final acceptance of the work for maintenance and shall replace such defective materials and workmanship without cost to **City of Durham**. The Contractor will not be responsible for damage due to faulty design, normal wear and tear, for negligence on the part of **City of Durham**, and/or for use in excess of the design.
- (B) Where items of equipment or material carry a manufacturer's guarantee for any period in excess of twelve months, then the manufacturer's guarantee shall apply for that particular piece of equipment or material. **City of Durham's** first remedy shall be through the manufacturer although the Contractor is responsible for invoking the warranted repair work with the manufacturer. The Contractor's responsibility shall be limited to the term of the manufacturer's guarantee. City of Durham would be afforded the same warranty as provided by the Manufacturer.

This guarantee provision shall be invoked only for major components of work in which the Contractor would be wholly responsible for under the terms of the contract. Examples would include pavement structures, bridge components, and sign structures. This provision will not be used as a mechanism to force the Contractor to return to the project to make repairs or perform additional work that **City of Durham** would normally compensate the Contractor for. In addition, routine maintenance activities (i.e. mowing grass, debris removal, ruts in earth shoulders,) are not parts of this guarantee.

Appropriate provisions of the payment and/or performance bonds shall cover this guarantee for the project.

EXECUTION OF BID

NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION

CORPORATION

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S. § 133-24* within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

_____ Full name of Corporation

_____ Address

Attest _____ By _____
Secretary/Assistant Secretary President/Vice President/Assistant Vice President
Select appropriate title *Select appropriate title*

_____ Print or type Signer's name

_____ Print or type Signer's name

CORPORATE SEAL

AFFIDAVIT MUST BE NOTARIZED

Subscribed and sworn to before me this the

_____ day of _____ 20__.

NOTARY SEAL

_____ Signature of Notary Public

of _____ County

State of _____

My Commission Expires: _____

**EXECUTION OF BID
NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION
PARTNERSHIP**

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S. § 133-24* within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

_____ Full Name of Partnership

_____ Address

_____ By _____
Signature of Witness Signature of Partner

_____ Print or type Signer's name _____ Print or type Signer's name

AFFIDAVIT MUST BE NOTARIZED

Subscribed and sworn to before me this the

NOTARY SEAL

_____ day of _____ 20__.

_____ Signature of Notary Public

of _____ County

State of _____

My Commission Expires: _____

**EXECUTION OF BID
NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION
LIMITED LIABILITY COMPANY**

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S. § 133-24* within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

Full Name of Firm

Address

Signature of Witness

Signature of Member/Manager/Authorized Agent
Select appropriate title

Print or type Signer's name

Print or type Signer's Name

AFFIDAVIT MUST BE NOTARIZED

Subscribed and sworn to before me this the

NOTARY SEAL

____ day of _____ 20__.

Signature of Notary Public

of _____ County

State of _____

My Commission Expires: _____

EXECUTION OF BID
NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION
JOINT VENTURE (2) or (3)

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating N.C.G.S. § 133-24 within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

Instructions: 2 Joint Venturers Fill in lines (1), (2) and (3) and execute. 3 Joint Venturers Fill in lines (1), (2), (3) and (4) and execute. On Line (1), fill in the name of the Joint Venture Company. On Line (2), fill in the name of one of the joint venturers and execute below in the appropriate manner. On Line (3), print or type the name of the other joint venturer and execute below in the appropriate manner. On Line (4), fill in the name of the third joint venturer, if applicable and execute below in the appropriate manner.

(1) Name of Joint Venture

(2) Name of Contractor

Address

Signature of Witness or Attest By Signature of Contractor

Print or type Signer's name Print or type Signer's name

If Corporation, affix Corporate Seal and

(3) Name of Contractor

Address

Signature of Witness or Attest By Signature of Contractor

Print or type Signer's name Print or type Signer's name

If Corporation, affix Corporate Seal and

(4) Name of Contractor (for 3 Joint Venture only)

Address

Signature of Witness or Attest By Signature of Contractor

Print or type Signer's name Print or type Signer's name

If Corporation, affix Corporate Seal

NOTARY SEAL

Affidavit must be notarized for Line (2)

Subscribed and sworn to before me this day of 20

Signature of Notary Public of County

State of

My Commission Expires:

NOTARY SEAL

Affidavit must be notarized for Line (3)

Subscribed and sworn to before me this day of 20

Signature of Notary Public of County

State of

My Commission Expires:

NOTARY SEAL

Affidavit must be notarized for Line (4)

Subscribed and sworn to before me this day of 20

Signature of Notary Public of County

State of

My Commission Expires:

**EXECUTION OF BID
NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION
INDIVIDUAL DOING BUSINESS UNDER A FIRM NAME**

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S. § 133-24* within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

Name of Contractor

_____ Individual name

Trading and doing business as

_____ Full name of Firm

_____ Address

_____ Signature of Witness

_____ Signature of Contractor, Individually

_____ Print or type Signer's name

_____ Print or type Signer's name

AFFIDAVIT MUST BE NOTARIZED

Subscribed and sworn to before me this the

NOTARY SEAL

_____ day of _____ 20__.

_____ Signature of Notary Public

of _____ County

State of _____

My Commission Expires: _____

**EXECUTION OF BID
NON-COLLUSION AFFIDAVIT, DEBARMENT CERTIFICATION AND GIFT BAN CERTIFICATION
INDIVIDUAL DOING BUSINESS IN HIS OWN NAME**

The person executing the bid, on behalf of the Bidder, being duly sworn, solemnly swears (or affirms) that neither he, nor any official, agent or employee of the bidder has entered into any agreement, participated in any collusion, or otherwise taken any action which is in restraint of free competitive bidding in connection with any bid or contract, that the bidder has not been convicted of violating *N.C.G.S. § 133-24* within the last three years, and that the Bidder intends to do the work with its own bonafide employees or subcontractors and is not bidding for the benefit of another contractor.

In addition, execution of this bid in the proper manner also constitutes the Bidder's certification of status under penalty of perjury under the laws of the United States in accordance with the Debarment Certification attached, provided that the Debarment Certification also includes any required statements concerning exceptions that are applicable.

N.C.G.S. § 133-32 and Executive Order 24 prohibit the offer to, or acceptance by, any State Employee of any gift from anyone with a contract with the State, or from any person seeking to do business with the State. By execution of any response in this procurement, you attest, for your entire organization and its employees or agents, that you are not aware that any such gift has been offered, accepted, or promised by any employees of your organization.

SIGNATURE OF CONTRACTOR

Name of Contractor _____
Print or type Individual name

Address

Signature of Contractor, Individually

Print or type Signer's Name

Signature of Witness

Print or type Signer's name

AFFIDAVIT MUST BE NOTARIZED

Subscribed and sworn to before me this the

NOTARY SEAL

_____ day of _____ 20__.

Signature of Notary Public

of _____ County

State of _____

My Commission Expires: _____

DEBARMENT CERTIFICATION

Conditions for certification:

1. The bidder shall provide immediate written notice to the Municipality if at any time the bidder learns that his certification was erroneous when he submitted his debarment certification or explanation filed with the Municipality, or has become erroneous because of changed circumstances.
2. The terms *covered transaction, debarred, suspended, ineligible, lower tier covered transaction, participant, person, primary covered transaction, principal, proposal, and voluntarily excluded*, as used in this provision, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. A copy of the Federal Rules requiring this certification and detailing the definitions and coverages may be obtained from the Municipality project representative.
3. The bidder agrees by submitting this form, that he will not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in Municipal contracts, unless authorized by the Municipality.
4. For Federal Aid projects, the bidder further agrees that by submitting this form he will include the Federal-Aid Provision titled *Required Contract Provisions Federal-Aid Construction Contract (Form FHWA PR 1273)* provided by the Municipality, without subsequent modification, in all lower tier covered transactions.
5. The bidder may rely upon a certification of a participant in a lower tier covered transaction that he is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless he knows that the certification is erroneous. The bidder may decide the method and frequency by which he will determine the eligibility of his subcontractors.
6. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this provision. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
7. Except as authorized in paragraph 6 herein, the Municipality may terminate any contract if the bidder knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available by the Federal Government.

DEBARMENT CERTIFICATION

The bidder certifies to the best of his knowledge and belief, that he and his principals:

- a. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- b. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records; making false statements; or receiving stolen property;
- c. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph b. of this certification; and
- d. Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- e. Will submit a revised Debarment Certification immediately if his status changes and will show in his bid proposal an explanation for the change in status

If the bidder cannot certify that he is not debarred, he shall provide an explanation with this submittal. An explanation will not necessarily result in denial of participation in a contract.

Failure to submit a non-collusion affidavit and debarment certification will result in the bidder's bid being considered non-responsive.

Check here if an explanation is attached to this certification.

Line #	Item Number	Sec #	Description	Quantity	Units	Unit Cost	Amount
1	0000100000-N	800	MOBILIZATION	1	LS		
2	0000400000-N	801	CONSTRUCTION SURVEYING	1	LS		
3	0000915001-N	SP	GENERIC MISCELLANEOUS ITEM (Reset Mailboxes)	45	EA		
4	0001000000-E	200	CLEARING & GRUBBING .. ACRE(S)	1	LS		
5	0036000000-E	225	UNDERCUT EXCAVATION	50	CY		
6	0043000000-N	226	GRADING	1	LS		
6	0106000000-E	230	BORROW EXCAVATION	2700	CY		
7	0156000000-E	250	REMOVAL OF EXISTING ASPHALT PAVEMENT	113	SY		
8	0163000000-E	250	REMOVAL OF EXISTING CONCRETE PAVEMENT	1175	SY		
9	0335200000-E	305	15" DRAINAGE PIPE	2032	LF		
10	0335300000-E	305	18" DRAINAGE PIPE	940	LF		
13	0378000000-E	305	24" DRAINAGE PIPE	120	LF		
14	0384000000-E	305	30" DRAINAGE PIPE	36	LF		
17	0995000000-E	340	PIPE REMOVAL	1122	LF		
18	1011000000-N	500	FINE GRADING	1	LS		
19	1121000000-E	520	AGGREGATE BASE COURSE	4630	TON		
20	1297000000-E	607	MILLING ASPHALT PAVEMENT, 1.5" - 2"DEPTH	630	SY		
21	1297000000-E	607	MILLING ASPHALT PAVEMENT, 2"DEPTH	464	SY		
22	1498000000-E	610	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0C	875	TON		
23	1519000000-E	610	ASPHALT CONC SURFACE COURSE, TYPE S9.5C	1088	TON		
24	1575000000-E	620	ASPHALT BINDER FOR PLANT MIX	122	TON		
25	2022000000-E	815	SUBDRAIN EXCAVATION	20	CY		
26	2026000000-E	815	GEOTEXTILE FOR SUBSURFACE DRAINS	85	SY		
27	2036000000-E	815	SUBDRAIN COARSE AGGREGATE	10	CY		
28	2043000000-E	815	4" PERFORATED SUBDRAIN PIPE	50	LF		

29	2253000000-E	840	15" PIPE COLLARS	2	EA		
30	2264000000-E	840	30" PIPE PLUGS	2	EA		
31	2275000000-E	SP	FLOWABLE FILL	35	CY		
32	2286000000-N	840	MASONRY DRAINAGE STRUCTURES	46	EA		
33	2354000000-N	840	FRAME WITH GRATE, STD 840.22	6	EA		
34	2374000000-N	840	FRAME WITH GRATE & HOOD, STD 840.03, TYPE **	40	EA		
35	2396000000-N	840	FRAME WITH COVER, STD 840.54	7	EA		
36	2440000000-N	852	CONCRETE TRANSITIONAL SECTION FOR CATCH BASIN	50	EA		
37	2472000000-N	840	GENERIC DRAINAGE ITEM (Elongated Catch Basin)	1	EA		
38	2472000000-N	840	GENERIC DRAINAGE ITEM (Offset Catch Basin Structure)	3	EA		
39	2538000020-E	846	2'-0" CONCRETE CURB & GUTTER	4620	LF		
40	2549000000-E	846	2'-6" CONCRETE CURB & GUTTER	1960	LF		
41	2605000000-N	848	CONCRETE CURB RAMP	3	EA		
42	2612000000-E	848	6" CONCRETE DRIVEWAY	2600	SY		
43	2830000000-N	858	ADJUSTMENT OF MANHOLES	15	EA		
44	2845000000-N	858	ADJUSTMENT OF METER BOXES OR VALVE BOXES	46	EA		
45	2850000000-N	858	GENERIC DRAINAGE ITEM (15" FLARED END SECTION)	5	EA		
45	2850000000-N	858	GENERIC DRAINAGE ITEM (18" FLARED END SECTION)	3	EA		
46	2938000000-N	859	CONVERT EXISTING DROP INLET TO JUNCTION BOX WITH MANHOLE	1	EA		
47	2995000000-N	SP	GENERIC DRAINAGE ITEM (HEADWALL FOR 30" PIPE)	1	EA		
48	3574000001-E	867	GENERIC FENCING ITEM (REMOVE & RESET)	160	LF		
49	3649000000-E	876	RIP RAP, CLASS B	20	TON		
50	3656000000-E	876	GEOTEXTILE FOR DRAINAGE	80	SY		
51	3691000001-N	SP	GENERIC EROSION CONTROL ITEM (Silt Fence Outlets)	51	EA		
52	3691000002-N	SP	GENERIC EROSION CONTROL ITEM (Wattle)	3	EA		

53	3691000003-N	SP	GENERIC EROSION CONTROL ITEM (Inlet Protection)	56	EA		
54	3691000004-N	SP	GENERIC EROSION CONTROL ITEM (Rock Inlet Sediment Trap Type A)	1	EA		
55	4399000000-N	1105	TEMPORARY TRAFFIC CONTROL	1	LS		
56	5325075000-E	1510	3/4" WATER LINE	668	LF		
57	5643100000-E	1515	3/4" WATER METER	16	EA		
58	5648000000-N	1515	RELOCATE WATER METER	2	EA		
59	5649000000-N	1515	RECONNECT WATER METER	5	EA		
60	5672000000-N	1515	RELOCATE FIRE HYDRANT	8	EA		
61	5691100000-E	1520	4" SANITARY GRAVITY SEWER	610	LF		
62	5768000000-N	1520	SANITARY SEWER CLEAN-OUT	24	EA		
63	5835600000-E	1540	12" ENCASMENT PIPE	40	LF		
64	6000000000-E	1605	TEMPORARY SILT FENCE	4305	LF		
65	6036000000-E	1631	MATTING FOR EROSION CONTROL	80	SY		
66	6071012000-E	SP	COIR FIBER WATTLE	150	LF		
67	6071020000-E	SP	POLYACRYLAMIDE (PAM)	75	LB		
68	6084000000-E	1660	SEEDING & MULCHING	7	ACR		